

CONTAMINATION ASSESSMENT REPORT ADDENDUM

SITE 2891 NAVAL AIR STATION WHITING FIELD MILTON, FLORIDA

Unit Identification Code (UIC): N60508

Contract No. N62467-89-D-0317

Prepared by:

ABB Environmental Services, Inc. 2590 Executive Center Circle, East Tallahassee, Florida 32301

Author: Pamela J. Wagner

Prepared for:

Department of the Navy, Southern Division Naval Facilities Engineering Command 2155 Eagle Drive Charleston, South Carolina 29411-0068

Luis Vazquez, Code 1843, Engineer-in-Charge

April 1994



FOREWORD

Subtitle I of the Hazardous and Solid Waste Amendments (HSWA) of 1984 to the Solid Waste Disposal Act (SWDA) of 1965 established a national regulatory program for managing underground storage tanks (USTs) containing hazardous materials, especially petroleum products. Hazardous wastes stored in USTs were already regulated under the Resource Conservation and Recovery Act (RCRA) of 1976, which was also an amendment to SWDA. Subtitle I requires that the U.S. Environmental Protection Agency (USEPA) promulgate UST regulations. The program was designed to be administered by the individual States, who were allowed to develop more stringent standards, but not less stringent standards. Local governments were permitted to establish regulatory programs and standards that are more stringent, but not less stringent than either State or Federal regulations. The USEPA UST regulations are found in the Code of Federal Regulations, Title 40, Part 280 (Title 40 CFR 280) (Technical Standards and Corrective Action Requirements for Owners and Operators of Underground Storage Tanks) and Title 40 CFR 281 (Approval of State Underground Storage Tank Programs). Title 40 CFR 280 was revised and published on September 23, 1988, and became effective December 22, 1988.

The Navy's UST program policy is to comply with all Federal, State, and local regulations pertaining to USTs. This report was prepared to satisfy the requirements of Chapter 17-770, Florida Administrative Code (FAC) (State Underground Petroleum Environmental Response) regulations on petroleum contamination in Florida's environment as a result of petroleum spills or leaking tanks or piping. Chapter 17-770 is administered by the Florida Department of Environmental Protection (FDEP).

Questions regarding this report should be addressed to the Environmental Coordinator, Naval Air Station (NAS) Whiting Field, Milton, Florida, at 904-623-7181, or to Southern Division, Naval Facilities Engineering Command (SOUTHNAVFACENGCOM), Code 1843, at DSN 563-0613 or 803-743-0613.

TABLE OF CONTENTS

Contamination Assessment Report Addendum Site 2891, Naval Air Station Whiting Field Milton, Florida

Sect	ion		<u>Title</u>	 Page No.
1.0	SITE 1.1 1.2 1.3	SITE D	ROUND	 . 1-1 . 1-1
2.0	METH 2.1 2.2 2.3	SOIL B	SORING PROGRAM	 . 2-1 . 2-1
3.0	CONT. 3.1 3.2	SOIL A	ON ASSESSMENT RESULTS	 . 3-1
4.0	4.1 4.2 4.3	SUMMAR CONCLU RECOMM	ONCLUSIONS, AND RECOMMENDATIONS RY	 4-1 4-1 4-1
5.0	PROF	ESSIONA	AL REVIEW CERTIFICATION	 . 5-1
REFE	RENCE	S		
A	NDICE ppend ppend	ix A:	Florida Department of Environmental Protection (FDEP) Correspondence Lithologic Logs	
	ppend		Laboratory Analytical Data	

LIST OF FIGURES

Contamination Assessment Report Addendum Site 2891, Naval Air Station Whiting Field Milton, Florida

<u>Figu</u>	reTitle	Pa	ge	<u>No .</u>
1-1 1-2 2-1	Site Location Map			
	Aquifer, March 7, 1994	•	2-2	2
	LIST OF TABLE			
Table	e Title	Pa	ge	<u>No .</u>
3-1	Summary of Soil Sample Organic Vapor Analyzer (OVA) Headspace Analytical Data, March 11 and 12, 1994		3-2	2

GLOSSARY

ABB-ES ABB Environmental Services, Inc.

AST aboveground storage tank

bgl below groundwater level

bls below land surface

CA contamination assessment
CAP Contamination Assessment Plan

CAP Contamination Assessment Plan
CAR Contamination Assessment Report

CompQAP Comprehensive Quality Assurance Plan

EPS Environmental Protection Systems, Inc

FAC Florida Administrative Code

FDEP Florida Department of Environmental Protection

FID flame ionization detector

MOP Monitoring Only Proposal

NAS Naval Air Station

NFAP No Further Action Proposal

NFF north fuel farm

NGVD National Geodetic Vertical Datum

OVA organic vapor analyzer

PCA Preliminary Contamination Assessment

PCAR Preliminary Contamination Assessment Report

ppb part per billion ppm parts per million

SOUTHNAV-

FACENGCOM Southern Division, Naval Facilities Engineering Command

SPCC Spill Prevention Control and Countermeasure

SPT standard penetration test

TRPH Total Recoverable Petroleum Hydrocarbons

1.0 SITE BACKGROUND

1.1 SITE DESCRIPTION. Site 2891 is one of two large-capacity aboveground storage tanks (ASTs) located at Naval Air Station (NAS) Whiting Field (Figure 1-1). ASTs 2891 and 2892 are 230,000-gallon, interior lined, steel tanks that were constructed in 1961. The tanks currently have secondary spill containment consisting of a concrete base and berm. The tanks contain jet fuel, JP-5, which is distributed to several locations at the base via pumps and associated piping. The piping is constructed of corrosion-resistant coated steel. The tanks are gauged daily and are registered in the base Spill Prevention Control and Countermeasure (SPCC) plan.


1.2 SITE HISTORY. On August 6, 1991, approximately 500 gallons of jet fuel overflowed from the top of AST 2891 (Figure 1-2). The released jet fuel was contained in the sand and clay containment area for AST 2891. Approximately 350 gallons were recovered. In the week following the release, the containment areas associated with AST 2891 and AST 2892 were excavated and replaced with a fuel-tight concrete liner. The excavated soil, 480 cubic yards, was sampled and analyzed according to Chapter 17-775, Florida Administrative Code (FAC), Soil Thermal Treatment Facilities. The soil was determined to be suitable for thermal treatment and taken to Industrial Waste, Inc., in Pensacola, Florida, for treatment and disposal.


<u>Previous Site Investigations</u>. A Preliminary Contamination Assessment (PCA) was performed in November 1991 and a Preliminary Contamination Assessment Report (PCAR) was prepared by Environmental Protection Systems, Inc (EPS). ABB-ES conducted a contamination assessment (CA) investigation at Site 2891 from January through August 1992, and a Contamination Assessment Report (CAR) was submitted January 1993. The EPS report was included as an appendix in the NAS Whiting Field Site 2891 CAR submitted by ABB Environmental Services, Inc. (ABB-ES), in January 1993. The findings of the CA conducted by ABB-ES are summarized below.

The assessment for Site 2891 was conducted concurrently with investigations at Site 2894 (the pump house associated with the ASTs) and Site 1467 (the north fuel farm [NFF]), which are both located in the vicinity of Site 2891. Soil boring and monitoring well data collected during the CAs associated with Sites 2894 and 1467 were also used for the Site 2891 CA.

Six soil borings, AST-SB-1, AST-SB-2, AST-SB-8, AST-SB9, AST-SB-12, and NFF-SB-54, were installed in the vicinity of Site 2891. Soil samples were collected and analyzed with an organic vapor analyzer (OVA) at 5-foot intervals to depths varying from 50 to 117 feet bls. Minimal concentrations of petroleum hydrocarbons (0 to 33 parts per million [ppm]) were detected in soil at the site by OVA headspace analysis (ABB-ES, 1993).

Nine monitoring wells were installed near Site 2894, seven (WHF-2894-1 through WHF-2894-6 and WHF-1467-13R) in the upper zone of the sand-and-gravel aquifer and two (WHF-2894-1D and WHF-2894-2D) in the lower zone of the sand-and-gravel aquifer. Groundwater samples from these wells were collected and analyzed for the kerosene analytical group parameters as defined in Chapter 17-770, FAC. Laboratory analytical results of samples from both the upper and lower water bearing zone indicated minimal petroleum hydrocarbon contamination in the ground-





water at the site. TRPH was detected in the sample collected from WHF-2894-MW1D at a concentration of 2 ppm. Ethylene dibromide was detected in the sample collected from WHF-2894-MW3 at a concentration of 0.09 part per billion (ppb). No other kerosene analytical group constituents were detected (ABB-ES, 1993).

Based on the proximity of Site 2891 to Site 1467, a Monitoring Only Plan (MOP) was recommended in the CAR (ABB-ES, 1993). In response to comments submitted by the Florida Department of Environmental Protection (FDEP) a supplemental investigation was conducted at the site. A copy of FDEP's comments for the Site 2891 CAR are attached as Appendix A, FDEP Correspondence.


$\underline{\textbf{1.3}}$ SCOPE. The scope of services developed to perform the additional field work included:

- installation of two soil borings to a depth of approximately 82 feet below land surface (bls),
- collection of soil samples from the soil borings for OVA headspace analysis continuously to 20 feet bls and at 5-feet intervals thereafter,
- collection of groundwater samples from all site monitoring wells for analyses of kerosene analytical group parameters,
- reduction and analysis of all data gathered during the field investigation to prepare this CAR Addendum.

2.0 METHODOLOGIES AND EQUIPMENT

- 2.1 SOIL BORING PROGRAM. Two soil borings (AST-SB-13 and AST-SB-14) were advanced using a drill rig equipped with 3½-inch inside diameter, hollow-stem augers to a depth of 60 feet. Soil samples from depths below 60 feet bls were obtained using mud rotary drilling techniques. Soil samples were collected from each borehole continuously to 20 feet, and at 5-foot intervals thereafter using a standard penetration test (SPT) split-spoon sampler. The soil samples were placed in 16-ounce glass jars and headspace analyses were performed using an OVA with a flame ionization detector (FID) as defined in Chapter 17-770.200(2), FAC. Complete lithologic logs for soil borings AST-SB-13 and AST-SB-14 are presented in Appendix B.
- 2.2 GROUNDWATER ELEVATION SURVEY. Depth to groundwater was measured in each well using an electronic water level indicator with an accuracy to 0.01 foot. Water level elevations were calculated by subtracting the measured depth to groundwater from the top of the well casing elevation. Groundwater level measurements were recorded on March 7, 1994, and the data presented on a water table elevation contour map (Figure 2-1). The groundwater flow direction shown on Figure 2-1 is east-northeast and corresponds well with the July 31, 1992, data presented on Figure 5-1 of the 1993 NAS Whiting Field Site 2891 CAR (Attachment B, Figure 5-1 [revised] in Appendix A, FDEP correspondence).
- 2.3 GROUNDWATER SAMPLING PROGRAM. Groundwater samples were collected in accordance with ABB-ES', FDEP-approved Comprehensive Quality Assurance Plan (CompQAP). The monitoring wells were purged with a Wattera™ pump before sample collection. Purging continued until a minimum of five well volumes of water had been removed. Groundwater samples were collected using an extruded Teflon™ bailer, placed into appropriate containers, properly preserved, and placed on ice. Samples were then shipped to ENSECO Wadsworth/ALERT Laboratories, Inc., Tampa, Florida, for analyses. All groundwater samples collected during the supplemental assessment were analyzed for the kerosene analytical group compounds outlined in Chapter 17-770, FAC.

Groundwater samples were collected from all site monitoring wells from March 7 through 11, 1994. One equipment blank, one duplicate, and two trip blanks were also collected and analyzed for kerosene analytical group parameters.



3.0 CONTAMINATION ASSESSMENT RESULTS

- 3.1 SOIL ASSESSMENT. Soil samples were collected at discrete depth intervals in soil borings AST-SB-13 and AST-SB-14 on March 11 and 12, 1994. Soil samples were analyzed using OVA headspace techniques. OVA readings in borings AST-SB-13 and AST-SB-14 varied from less than 1 to 2 ppm and were considerably less than the 10 ppm FDEP standard for "petroleum contaminated" soil. A summary of the OVA analytical data is presented in Table 3-1.
- 3.2 GROUNDWATER ASSESSMENT. Groundwater samples from both the upper and lower water bearing zones at Site 2891 were collected on March 7, 8, 9, and 10, 1994. Laboratory data sheets for groundwater samples from all site monitoring wells are presented in Appendix C. Laboratory analyses did not detect any kerosene analytical group constituents in the groundwater samples.

Table 3-1 Summary of Soil Sample Organic Vapor Analyzer (OVA) Headspace Analytical Data, March 11 and 12, 1994

Contamination Assessment Report Addendum Site 2891, Naval Air Station Whiting Field Milton, Florida

Depth (feet bis)	AST-SB-13	AST-SB-14
2	<1	<1
5 to 7	1	<1
7 to 9	<1	1
9 to 11	<1	1
11 to 13	<1	<1
13 to 15	<1	1
15 to 17	<1	2
17 to 19	<1	1
19 to 21	<1	2
25 to 27	<1	1
30 to 32	<1	2
35 to 37	<1	<1
40 to 42	<1	<1
45 to 47	2	1
50 to 52	<1	<1
55 to 57	1	<1
60 to 62	<1	<1
65 to 67	2	<1
70 to 72	2	1
75 to 77	<1	<1
80 to 82	<1	BGL

Notes: Concentrations are in parts per million (ppm).

bls = below land surface.

BGL = below groundwater level.

4.0 SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS

- 4.1 SUMMARY. The following is a summary of the findings of the supplemental field investigation conducted from March 7 through March 12, 1994, at Site 2891.
 - OVA headspace analyses indicate no petroleum contamination in soil at the site.
 - Laboratory analyses of samples from both the upper and lower water bearing zones indicate that no kerosene analytical group constituents were detected in the groundwater at Site 2891.
- 4.2 CONCLUSIONS. The level of volatile organic compounds detected in soil at Site 2891 was minimal and does not exceed State regulatory standards. No kerosene analytical group compounds were detected in Site 2891 groundwater samples.
- <u>4.3 RECOMMENDATIONS</u>. Based on the findings and interpretations of this supplemental contamination assessment, a No Further Action Proposal (NFAP) is recommended for Site 2891 CAR.

5.0 PROFESSIONAL REVIEW CERTIFICATION

The contamination assessment contained in this report was prepared using sound hydrogeologic principles and judgment. This assessment is based on the geologic investigation and associated information detailed in the text and appended to this report. If conditions are determined to exist that differ from those described, the undersigned geologist should be notified to evaluate the effects of any additional information on the assessment described in this report. This Contamination Assessment Report Addendum was developed for Site 2891 at the NAS Whiting Field in Milton, Florida, and should not be construed to apply to any other site.

Michael J. Williams Professional Geologist P.G. No. 000344

Date

REFERENCES

- ABB Environmental Services, Inc., 1993, Contamination Assessment Report, Site 2891, Naval Air Station, Whiting Field, Milton Florida: prepared for Southern Division, Naval Facilities Engineering Command, Charleston, South Carolina.
- Florida Department of Environmental Regulation, May 1992, Guidelines for Assessment and Remediation of Petroleum Contaminated Soils, revised: Division of Waste Management, 39 p.

APPENDIX A

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FDEP) CORRESPONDENCE



Florida Department of Environmental Regulation

SOUTH NAVFAC

Twin Towers Office Bldg. • 2600 Blzir Stone Road • Tallahassee, Florida 32399-2400 lawton Chiles, Governor Virginia B. Wetherell, Secretary

March 29, 1993

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr. Luis Vazquez
Code 1843
Department of the Navy
Southern Division
Naval Facilities Engineering Command
Post Office Box 10068
Charleston, South Carolina 29411-0068

Dear Mr. Vazquez:

Department personnel have completed the technical review of the Contamination Assessment Report, Site 2891, NAS Whiting Field. I have enclosed a memorandum addressed to me from Mr. David M. Clowes. It documents our comments on the referenced report.

If I can be of any further assistance with this matter, please contact me at 904/488-0190.

Sincerely

Eric S. Nuzie/

Federal Facilities Coordinator

ESN/bb

Enclosure

cc: David Clowes
Robert Barr
Bill Kellenberger
Lynn Griffin
James Holland
John Mitchell
Allison Drew





State of Florida DEPARTMENT OF ENVIRONMENTAL REGULATION

	For Routing To Other Them?	The Addresses
Tet		Locations
Ter		Location:
Tet	 	Locations
From:		Dets:

Interoffice Memorandum

TO:

Eric S. Nuzie,

Federal Facilities Coordinator

Bureau of Waste Cleanup

THROUGH:

James J. Crane,

Technical Review Section

Tim J. Bahr,

Professional Geologist II

Technical Review Section

FROM:

David M. Clowes, Environmental Specialist II

Technical Review Section

DATE:

March 19, 1993

SUBJECT:

Contamination Assessment Report (CAR) for Site 2891,

Naval Air Station Whiting Field, Milton, Florida.

I have reviewed the Contamination Assessment Report (CAR), dated January 1993 (received February 3, 1993), submitted for this site. In order to meet the requirements of Chapter 17-770, Florida Administrative Code (F.A.C.), the following comments need to be addressed:

- To ascertain whether all excessively contaminated soil was 1. excavated around tank 2891 and to avoid the need to drill through the concrete base and berm containment area to collect samples, additional soil boring samples are needed from locations as close as possible to the highest HNu reading of the PCAR. Specifically, two borings should be performed, one from both sides of the containment area, as close as possible to the pipelines and locations 2 and 14 of the PCAR. Soil samples for OVA analysis should be collected at five (5) foot intervals down to the water table, with representative samples that exceed 50 ppm on the OVA (if any) submitted for laboratory analysis (EPA Methods 8020, 8100 and 418.1).
- Resampling of deep well WHF-2894-1D is needed to determine 2. if the elevated total recoverable petroleum hydrocarbon (TRPH) level was genuine. Additionally, downgradient wells WHF-2894-2, WHF-2894-4 and WHF-2894-6 (as of Figure 4-1) should be resampled to determine if unexcavated excessively contaminated soil is leaching to the groundwater. Note,



MEMORANDUM Eric S. Nuzie March 19, 1993 Page Two

į

additional monitoring wells should be installed if significant contaminant concentrations are detected at perimeter monitoring wells, at either boring location, or at the vertical extent well.

- Please submit a copy of the tank and line tightness tests performed in accordance with Chapter 17-761, F.A.C., to establish the structural integrity of the current product storage/distribution system.
- 4. Did the spill occur on August 6, 1991 as stated in the CAR or on August 19, 1991 as stated in the PCAR?
- Figure 5-1 contains errors/conflicts with other diagrams, that need to be corrected. Wells WHF-2894-1, WHF-2894-4 and WHF-2894-13R are omitted, well WHF-2894-2 is documented to be in three different positions, and a new well WHF-2894-3R is included. Additionally, please recheck that the water table elevation contour lines are positioned to accurately represent the groundwater flow direction once all the wells are correctly positioned.
- 6. Please provide lithologic log documentation not included in the CAR for wells WHF-2894-1, WHF-2894-2, WHF-2894-3, and WHF-2894-4. Include pertinent information such as depths to water table and screened intervals.
- 7. A MOP or NFAP should be submitted if the resampling indicates that "monitoring only" or "no further action" are appropriate, otherwise a Remedial Action Plan (RAP) will be required following DER approval of the necessary supplemental assessment.





PAXED 2///

10 May, 1993

Commanding Officer
Mr. Luis Vazquez, Code 1843
SOUTHNAVFACENGCOM
P.O. Box 190010
North Charleston, SC 29419-9010

SUBJECT:

Response to FDER Comments

Contamination Assessment Report

Sites 2891 and 2866 NAS Whiting Field

Contract No. N62467-89-D-0317, CTO 009

ENCLOSURE: Response to FDER Comments of March 29, 1993

Dear Luis;

This letter addresses comments from the Florida Department of Environmental Regulation (FDER) concerning the subject CARs and transmits ABB-ES recommended responses to those comments.

With regard to site 2866, Response (1) will delay over-all site completion until after the tank removal. Response (2) would put the site in the same situation as sites 1466 and 1467, in which case the IR program may take precedence over tank removal results.

With regard to site 2891, our Response (1) does not recommend TRPH analysis of samples taken every five feet since FDER rules and guidelines do not require it. Additionally, it would be hard to estimate and could be very expensive.

Please review these responses to FDER's comments for appropriateness and provide us with any comments. If you have any questions please call me or Jim Williams.

Very truly yours,

ABB ENVZRONMENTAL SERVICES, INC.

John P. Kaiser

Senior Project Manager

M.J. Williams P.G. Principal Scientist

ABB Environmental Services, Inc.

Response to FDER Comments Site 2891 Naval Air Station Whiting Field Milton, Florida Contract No. N62467-89-D-0317, CTO No. 009.

COMMENT 1.

"To ascertain whether all excessively contaminated soil was excavated around tank 2891 and to avoid the need to drill through the concrete base and berm containment area to collect samples, additional soil boring samples are needed from locations as close as possible to the highest HNu reading of the PCAR. Specifically, two borings should be performed, one from both sides of the containment area, as close as possible to the pipelines and location 2 and 14 of the PCAR. Soil samples for OVA analysis should be collected at five (5) foot intervals down to the water table, with representative samples that exceed 50 ppm on the OVA (if any) submitted for laboratory analysis (EPA Methods 8020, 8100 and 418.1)."

RESPONSE 1.

Two additional soil borings as close as possible to locations No. 2 and No. 14 shown in the PCAR are planned. Soil samples will be collected at 5-foot intervals to the water table and screened using an OVA with a flame ionization detector (FID) in accordance with Chapter 17-770.200(2) F.A.C. to determine if the soil is considered "excessively contaminated" (>50 ppm) for the Kerosene group.

With regard to the to the above-stated condition that "Soil samples for OVA analysis should be collected at five (5) foot intervals down to the water table, with representative samples that exceed 50 ppm on the OVA (if any) submitted for laboratory analysis (EPA Methods 8020, 8100, and 418.1).", it is not understood why FDER is now requesting these laboratory analyses for soil samples. FDER's May 1992, "Guidelines for Assessment and Remediation of Petroleum Contaminated Soils" state:

"A five percent duplicate sampling (5% of the number of OVA readings) by either EPA Method 5030/8020 or EPA Method 9073 (see Appendix B) may be conducted to verify that petroleum contamination is present. Unless required for compliance with a disposal permit requirement, no other laboratory soil analyses are necessary."

Although it is not anticipated that there will be a need to obtain a disposal permit, if conditions should arise that would require a disposal permit, laboratory soil analyses will be performed as recommended in the guidelines.

With regard to the agreement reached between FDER, SouthDIV, and ABB-ES at the meeting held March 30, 1993, concerning the additional soil borings to be drilled at Site 2894, it was decided that the borings proposed for Site 2894 would be terminated after drilling to an approximate depth of 50 feet below land surface (bls) if two or more consecutive OVA soil headspace readings were less than 10 ppm. In consideration of the fact that the release of JP-5 from aboveground storage tank 2891 occurred recently, within the past two years; the release was contained in a relatively small and bermed area; initial remedial action was implemented within 24 hours; and, OVA headspace readings of soil from borings in the immediate vicinity of the proposed soil boring locations measured less than 10 ppm; it is requested that the proposed additional soil borings be terminated after a minimum depth of 50 feet bls if two consecutive samples have OVA headspace readings of less than 10 ppm.

COMMENT 2.

"Resampling of deep well WHF-2894-1D is needed to determine if the elevated total recoverable petroleum hydrocarbon (TRPH) level was genuine. Additionally, downgradient wells WHF-2894-2, WHF-2894-4 and WHF-2894-6 (as of Figure 4-1) should be resampled to determine if unexcavated excessively contaminated soil is leaching to the groundwater. Note, additional monitoring wells should be installed if significant contaminant concentrations are detected at perimeter monitoring wells, at either boring location, or at the vertical extent well."

RESPONSE 2.

Laboratory Quality Control data and ABB-ES data validation results indicate that there is no evidence to call into question the integrity, authenticity, or "genuineness" of the groundwater sample analytical results for monitoring well WHF-2894-1D. Strict Quality Assurance/Quality Control sampling protocol, in accordance with ABB-ES's FDER approved Comprehensive Quality Assurance Plan, was followed during all groundwater and soil sampling at NAS Whiting Field. All approved monitoring well installation, development and groundwater sampling procedures and regulations were followed. The groundwater samples from WHF-2894-1D were sent to a State certified laboratory for analysis following applicable chain-of-custody control. For these reasons, it is felt that FDER's request to resample monitoring well WHF-2894-1D "...to determine if the elevated total recoverable petroleum hydrocarbon (TRPH) level was genuine.", as stated in the first sentence of Comment 2., is not appropriate. However, additional field investigation at Sites 2891 and 2894 is planned, and all monitoring wells associated with these sites, including wells WHF-2894-2, WHF-2894-4 and WHF-2894-6, will be sampled for analysis of Kerosene group contaminants at that time to obtain current analytical results.

It is not clearly understood what concentrations of which contaminants constitute the "...significant contaminant concentrations..." referred to in the last sentence of Comment 2. FDER's October 1990, "No Further Action and Monitoring Only Guidelines for Petroleum Contaminated Sites" cite specific contaminants and concentrations to be used as guidance for making the appropriate recommendation for sites regulated under Chapter 17-770 F.A.C. It is the understanding of the Navy and ABB-ES that the referenced guidelines are to be used in conjunction with FDER's October 1989, "Guidelines for the Preparation of Contamination Assessment Reports for Petroleum Contaminated Sites" when assessing the degree and extent of groundwater contamination so that the recommendations presented in the CAR are based on accepted standards, and not made on an arbitrary basis. Unless FDER indicates otherwise, it will be assumed that all recommendations for disposition of Site 2891 will be made in accordance with the referenced FDER guidelines and target cleanup levels contained in Chapter 17-770.730(5)(a)2 F.A.C.

COMMENT 3.

"Please submit a copy of the tank and line tightness tests performed in accordance with Chapter 17-761, F.A.C., to establish the structural integrity of the current product storage/distribution system."

RESPONSE 3.

Per the recent Alternate Procedures Agreement between FDER and the Navy, Storage Tank 2891 is classified as a Bulk Storage tank and, as such, falls under 17-762 regulations, not 17-761. The associated piping is bulk product piping and is subject to annual tightness testing under this rule. As of this date, no prior testing has been conducted for Storage Tank 2891 and the associated pipelines. Naval Air Station Whiting Field plans to begin performing tightness tests on Storage Tank 2891 and its associated pipelines at least once a year and more if situations arise that require it. The first test is under contract to be performed this year.

COMMENT 4.

"Did the spill occur on August 6, 1991, as stated in the CAR or on August 19, 1991, as stated in the PCAR?"

RESPONSE 4.

The date of the spill at Site 2891 reported in the PCAR prepared by Environmental Protection Systems, Inc. (EPS) was Wednesday, August 13, (1991). EPS performed their initial site visit on August 19, 1991. During preparation of the CAR, ABB-ES telephoned Mr. James Holland (Environmental Coordinator, Public Works Dept.) who stated that, to the best of his knowledge, excavation of the containment area began the week of August 10, 1991, shortly after the spill had occurred. On the basis of this information, ABB-ES estimated the date of August 6, 1991, as the approximate date of the spill. ABB-ES has since contacted EPS to confirm the spill date. Mr. Geoffery Maddux, P.G., of EPS informed ABB-ES that the August 13, 1991, spill date reported in the PCAR was taken from the Statement of Work sent to EPS from the Navy for the site assessment at Site 2891. Therefore, based on the Navy's Statement of Work, the spill occurred August 13, 1991. A copy of the Navy's Statement of Work for the services contracted to EPS is enclosed as Attachment A.

COMMENT 5.

"Figure 5-1 contains errors/conflicts with other diagrams, that need to be corrected. Wells WHF-2894-1, WHF-2894-4 and WHF-2894-13R are omitted, well WHF-2894-2 is documented to be in three different positions, and a new well WHF-2894-3R is included. Additionally, please recheck that the water table elevation contour lines are positioned to accurately represent the groundwater flow direction once all the wells are correctly positioned."

RESPONSE 5.

Wells WHF-2894-1 and WHF-2894-4 were both incorrectly designated WHF-2894-2 in Figure 5-1. In the same figure, well WHF-1467-13R was incorrectly identified as WHF-1467-3R. Groundwater elevations associated with the mislabeled wells were also incorrect and slightly affect the groundwater flow direction. Figure 5-1 has been revised to show the correct well designations, groundwater elevations, and flow direction. Figure 5-1 (Revised) is enclosed as Attachment B.

COMMENT 6.

"Please provide lithologic log documentation not included in the CAR for wells WHF-2894-1, WHF-2894-2, WHF-2894-3, and WHF-2894-4. Include pertinent information such as depths to water table and screened intervals."

RESPONSE 6.

The lithologic logs for wells WHF-2894-1, WHF-2894-2, WHF-2894-3, and WHF-2894-4 were not included in the Site 2891 CAR because these wells were installed to assess contamination at Site 2894. As requested, the lithologic logs are provided in Attachment C.

COMMENT 7.

"A MOP or NFAP should be submitted if the resampling indicates that 'monitoring only' or 'no further action' are appropriate, otherwise a Remedial Action Plan (RAP) will be required following DER approval of the necessary supplemental assessment."

RESPONSE 7.

Based on results of proposed additional field work a MOP, NFAP, or RAP, as appropriate, will be recommended for this site.

ATTACHMENT A

NAVY STATEMENT OF WORK FOR SERVICES CONTRACTED TO ENVIRONMENTAL PROTECTION

SYSTEMS, INC.	
ust\whiting\site2891\corr\fder\cmnt0319.93	

PROJECT SCOPE


Background: On Wednesday, August 13th, approximately 500 gallons of JP-5 jet fuel was released from tank #2891. The release occurred as fuel was being pumped into the tank an was a result of overfilling of the tank. The fuel discharged into the containment area approximately as outlined on the attached sketch. The containment area bottom is sand/clay. Initial remadiation efforts resulted in total containment of the fuel within the containment area and the recovery of approximately 350 gallons of product. A project is currently in progress to remove all excessively contaminated soil.

Requirement:

- 1. The contractor shall perform 30 sub-surface investigative samples at storage tank # 2891 to define petroleum concentrations of 50 ppm or less. Samples shall be taken approximately as shown on the attached sketch.
- 2. Five confirming samples shall be analyzed within a laboratory to confirm results from the above field analysis.
- 3. A final report confirming findings and recommendations shall be provided.
- 4. Analytical methods must satisfy the requirements of the Florida Department of Environmental Regulation pursuent to regulation 17-770, "Petroleum Contamination Site Cleanup, Criteria".
- 5. The contractor shall respond within one day of notification.

ATTACHMENT B

FIGURE 5-1 (REVISED)



ATTACHMENT C

LITHOLOGIC LOGS FOR MONITORING WELLS WHF-2894-1, WHF-2894-2, WHF-2894-3, AND WHF-2894-4

TITLE: NAS Whiting Field					WELL: WHF-2894-	-1	BOR	ING NO. AST-SB-5	
CLIENT: SOUTHNAVFACENGCOM							PRO	JECT NO: 7518-40	
CONTRACTOR:	Groundwater	Protec	tion		DATE STARTED:	4/08/92		COMPLTD: 4/08	/92
METHOD: HSA			CASE SIZE: 4" ID		SCREEN INT. 80	90'	PROT	ECTION LEVEL: D	
TOC ELEV.: FT	-		MONITOR INST.: 0VA		TOT BPTH: 98FT.		DPTH	TO ¥ 85 FT.	
OGGED BY: N.	Pagano		WELL DEVELOPMENT	DATE:			SITE	: 2894	
L LABORATO SAMPLE II	SAMPLE SAMPLE RECOVERY	HEADSPACE (ppm)	SOIL/ROCK AND C	DESCRIPT OMMENTS	ION	LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA
5—	2.0/2		SAND: Brown-green to gratrace clay. CLAYEY SAND: Red-brown medium grained.				SM	POSTHOLE	
5—	1.0/2	0.0	CLAYEY SAND: Tan to brograined.	ewn ta buf	f, fine to medium		SM		
0—	1.2/2	0.0	SAND: Pink to white to ye! grained.	low, fine t	a medium				
5-	2.0/2	0.0	SAND: White to pink to gol grained.						
0—	1.7/2	0.0	SAND: Pale yellow to buff grained.	to white,	fine to medium				
5—	1.3/2	0.0	SAND: Buff to white, fine t silt.	to medium	grained, trace				
0	15/2	0.0	SAND: Buff to tan to gray trace clay.	, fine to r	nedium grained,				
5—	1.5/2	0.0	SAND: Buff to tan to gray	, fine to r	nedium grained.				
50	1.5/2	0.0							
55—	· 1 I					K (Z ()			1111

	BOR	NG NO. AST-SB-	5			
CLIENT: SOUTHNAVFACENGCOM				PROJ	ECT NO: 7518-40	
CONTRACTOR: Groundwater Protection		DATE STARTED:	4/08/92		COMPLTD: 4/08	1/92
METHOD: HSA	CASE SIZE: 4" ID	SCREEN INT.: 8	0-90'	PROTE	CTION LEVEL: D	·····
TOC ELEV.: FT.	MONITOR INST.: OVA	TOT DPTH: 98FT		DPTH	TO ¥ 85 FT.	
LOGGED BY: N. Pagano	WELL DEVELOPMENT DATE:			SITE:	2894	
DEPTH FT. SAMPLE SAMPLE RECOVERY HEADSPACE (ppm)	SOIL/ROCK DESCRIP AND COMMENTS Continued from P		LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA
1.5/2 0.0 SANG 1.5/2 0.0 SANG 1.5/2 0.0 SANG 1.5/2 0.0 SANG	D: Buff to tan to gray, fine to . D: White to tan, fine to medium	medium grained. grained, some		SM		
SAND	I: Pink-red to yellow to buff to se grained, wet. Y CLAY: Buff to light brown to		0000	GM CL		
5-	m grained, moderate clay. : Pink to yellow to brown to whi ed, stiff.	te, fine to medium		СН		
2.0/2 0.0 SAND medium	Y CLAY: Brown to gold to white n grained, moderate clay.	to buff, fine to		CL SM		

TITLE: NAS Whiting Field		LOG at WELL: WHF-2894	-2	BOR	ING NO. AST-SB-9	
CLIENT: SOUTHNAVF ACENGOOM				PRO	JECT NO: 7518-40	
CONTRACTOR: Groundwater Protection		DATE STARTED:	4/09/92		COMPLTD: 4/09	/92
METHOD: HSA	CASE SIZE: 4" ID	SCREEN INT.: 7	0-85'	PROT	ECTION LEVEL:	
TOC ELEV.: FT.	MONITOR INST.: OVA	ТОТ ПРТН: 86FT		ОРТН	I TO ♀ 81 FT.	
LOGGED BY: N. Pagano	WELL DEVELOPMENT DA	TE:		SITE	:2894	
DEPTH FT. FT. SAMPLE SAMPLE RECOVERY HEADSPACE (ppm)	SOIL/ROCK DE AND COMM		LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA
				SC	POSTHOLE	
	AYEY SAND: Brown, fine gr ist.	ained, well-sorted,			2,2,2,8	
2/2 1.0				CL	6,9,9,9	
15 1.0 S	NDY CLAY: Red to tan to (gray.			8,9,9,10	
20————————————————————————————————————	AY: Gray to tan, stiff.				6,7,7,8	
25— 2/2 2.0 S	LTY CLAY: Pink to brown, n	naist.			6,6,7,8	
	NDY CLAY: Tan to red, ver lor detected.	ry fine grained, moist,	0	GM	8,15,21,22	1 1 1 1
35 2/2 2.0 S	ND: White to red, very fine	to coarse grained.	00000	CL	11,11,9,10	
- 2/2 1.0	LTY CLAY: Purple—gray, mo			SM	0,0,7,14	
	ILTY SAND: White, very fine dist.	grained, trace clay,		SM	10,12,14,14	
50	AND: White, fine to medium ç	grained, well-graded.		SW	14,19,25,23	
55—	PAGE 1.6	of 2894-2 ABE	ENVIRO] TAL SERVICES	4 4

	LOG OF WELL: V	HF-2894-2	BORING NO. AST-SB-9	3	
CLIENT: SOUTHNAVFACENGCOM			PROJECT NO: 7518-40		
CONTRACTOR: Groundwater Protection		STARTED: 4/09/92	COMPLTD: 4/09]: 4/09/92	
METHOD: HSA	CASE SIZE: 4" ID SCREE	N INT: 70-85'	PROTECTION LEVEL:	<u></u>	
TOC ELEV.: FT.		'TH: 88FT.	DPTH TO ¥ 81 FT.		
LOGGED BY: N. Pagano	WELL DEVELOPMENT DATE:		SITE: 2894		
SAMPLE SAMPLE SAMPLE (PPM)	SOIL/ROCK DESCRIPTION AND COMMENTS Continued from PAGE 1	LITHOLOGIC SYMBOL	SOIL CLASS NI-0/SMOTH	WELL DATA	
2/2 1.0 SAN	D: White, fine to coarse grained, well-gr	aded.	SW 18,20,23,23		
1.5/2 0.0			0,0,12,12		
1.6/2 0.0			10,12,12,12		
0 1.5/2 0.0 SANI	D: White to gold, fine to coarse grained.		22,22,24,29		
1 7 12/2 0.01): White to red, medium to coarse grained EY SAND: Red to white, medium grained.		28,33,33,35 SC		
1.2/2 1.0 SANE	l: Red to tan, medium to very coarse gra	000	10,12,14,14		
1 7 1.3/2 0.0	EY SAND: Brown, moist. : Gray, trace sand.		CH Wt. of Rod		
1.8/2 0.0 CLAY	: Gray to red, trace silt.		7,12,14,15		
1.8/2 8.0 CLAY	Purple to gray, stiff.		8,10,12,12		
2/2 3.0 CLAY:	Tan to red, very stiff.		12,25,35,37		
1/2 N/A SAND:	Brown, fine grained, trace clay, saturat	النو أو أ	ML REF		

CLIENT: SOUTHNAVFACENGCOM	BORING NO. AST-SB-7		
CONTRACTOR: Groundwater Protecti		,	PROJECT NO: 7518-40
ETHOD: HSA		DATE STARTED: 4/09/92	COMPLTD: 4/09/92
OC ELEV: FT	CASE SIZE: 4" ID	SCREEN INT.: 70-80'	PROTECTION LEVEL: D
OGGED BY: N. Pagano	MONITOR INST.: OVA	TOT DPTH: 88FT.	DPTH TO ¥ 73 FT.
	WELL DEVELOPMENT DATE:		SITE: 2894
SAMPLE SAMPLE (PDM)	SOIL/ROCK DESCRIPT AND COMMENTS	LITHOLOGIC SYMBOL	SOIL CLASS Pysword Zi-9/SMOTA
119/2 000 SA	AY: Brown to light brown to white, ained, stiff. NDY CLAY: Red-brown to light bro dium grained.		POSTHOLE
2/2 0.0 SA	ND: Light brown to brown, fine to r r gravels. ND: Light brown, white, fine to med RECOVERY		SM
N.H. N.M. SAN grai	D: Light brown, pale brown, tan, fir ned.		
	3: Light brown to white, fine to me 3: Light brown to white, fine to med	dium grained.	
1.5/2 0.0 SANI grain	l: Light brown, pale brown, white, f ed, 1ew gravels.	ine to coarse 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

TENT. COUTUNAVE CONTROL	LOG of	WELL: WHF-2894-3	BORING NO. AST-SB-7			
LIENT: SOUTHNAVFACENGCOM			PROJE	PROJECT NO: 7518-40		
ONTRACTOR: Groundwater Protection		DATE STARTED: 4/09/92		COMPLTD: 4/09/92 PROTECTION LEVEL: D		
ETHOD: HSA	CASE SIZE: 4" ID	SCREEN INT.: 70-80'				
OC ELEV.: FT.	MONITOR INST. OVA	TOT DPTH: 88FT.	DPTH '	TO ♀ 73 FT.		
OGGED BY: N. Pagano	WELL DEVELOPMENT DATE:		SITE:	2894	·	
RECOVERY HEADSPACE (ppm)	SOIL/ROCK DESCRIPTI AND COMMENTS Continued from PA(10 H	SOIL CLASS	BLOWS/6-IN	WELL DATA	
	l: White, pale yellow, fine graine	d, moist.	SM			
1.3/2 0.0 SAND	: Brown, pale yellow, fine to coa	arse grained.				
1.5/2 0.0						
1.3/2 3.0 SAND:	White, brown, fine to medium gr	ained.	GM			
1.9/2 N.M. SAND:	Light brown to orange, fine to	coarse grained.				
2.0/2 0.0 CLAY:	Red, gray, pale brown, fine grai	ned, stiff,	CL			
2.0/2 N.M. CLAY: stiff.	Pale brown, gray, white, fine to	medium grained,				
2.0/2 N.M. CLAY: I medium	Pale brown, gray,light brown, wh grained, stiff.	ite, fine to		,		
2.0/2 G.C. SAND: I saturat	ight brown, white, fine to mediu ed.	m grained,	SM			
2.0/2 G.C.						
SAND: E	rown, fine to medium grained, s	aturated.				

TITLE: NAS Whiting Fi	eid 			LOG at	WELL: WHF-2894-	- 4	BOR	ING NO. AST-SB-2	
CLIENT: SOUTHNAVE	ACENGO	COM					PROJECT NO: 7518-40		
CONTRACTOR: Ground	water F	rotect	tian		DATE STARTED: 4/11/92		COMPLTD: 4/11/92		
METHOD: HSA			CASE SIZE: 4" ID		SCREEN INT.: 75	5-90'	PROT	ECTION LEVEL: 0	
TOC ELEV.: FT. MONITOR INST.: OVA			l	TOT DPTH: 91FT.		DPTH	TO ¥ 83 FT.		
L OGGED BY: N. Pagar	10		WELL DEVELOPMENT	DATE:			SITE	: 2894	
L LABORATORY L L SAMPLE ID. SAMPLE	RECOVERY	HEADSPACE (ppm)	SOIL/ROCK AND C	DESCRIPT OMMENTS	ION	LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA
5——————————————————————————————————————	2.0/2 1.0/2 0.8/2 1.3/2	0.0	CLAYEY SAND: Red-brown medium grained. CLAYEY SAND: Red-brown medium grained. SANDY CLAY: Pink to white grained, very stiff.	n to brown e to yellov	to buff, fine to		SC	POSTHOLE	
30—	1.8/2		SAND: Pink to red-brown t grained, trace clay.	to buff, fir	ne to medium				
35—	1.8/2		SAND: Pink to red-brown t grained, trace clay.	to buff, fir	ne to medium		GM		
40-	2.0/2		SANO: Tan to buif to white trace clay, few gravels.	e, fine to	coarse grained,	00000			
45—	1.2/2	0.0	SAND: White to buff to tar	n, fine to r	medium grained.		SM		
50-	1.2/2	0.0	SAND: White to built to tar	n, fine to r	medium grained.				
55						0 0	GM		4 4
			PAGE	1 of 289	94-4 ABB	ENVIRO	MENT	TAL SERVICES.	INC.

TITLE: NAS Whiting Field	LOG 6	LOG of WELL: WHF-2894-4			BORING NO. AST-SB-2		
CLIENT: SOUTHNAVFACENGCOM	· · · · · · · · · · · · · · · · · · ·			PROJECT NO: 7518-40			
CONTRACTOR: Groundwater Protection		DATE STARTED: 4	1/11/92		COMPLTD: 4/11/9	12	
METHOD: HSA	CASE SIZE: 4" ID	SCREEN INT.: 75	-90'	PROTECTION LEVEL: D			
TOC ELEV.: FT.	MONITOR INST: OVA	TOT DPTH: 91FT.		DPTH	TO ♀ 83 FT.		
LOGGED BY: N. Pagano	WELL DEVELOPMENT DATE:			SITE:	: 2894		
BECOVERY (ppm)	SOIL/ROCK DESCRIP AND COMMENTS Continued from P ID: Pink to reddish-brown to ta	AGE 1	U LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA	
1.0/2 0.0 gra 1.0/2 0.0 gra 1.0/2 0.0 SA 1.0/2 0.0 SA 1.3/2 0.0 SA 1.3/2 0.0 SA 1.3/2 0.0 SA	Ined, little gravels. ND: Pink to tan, fine to coarse ovels. ND: Buff to tan to white, fine to moderate gravel. ND: Pink to red-brown to buff, fined with some gravel. ND: Pink to red-brown, fine to delerate gravel, moist throughout	grained, little coarse grained line to coarse	$\begin{smallmatrix}0&0&0&0&0&0&0&0&0&0&0&0&0&0&0&0&0&0&0&$				
90 2.0/2 0.0 SA mor	ND: Pink to red-brown, fine to derate gravel, saturated. NY: Red to gray to white to browned, stiff.		00000000000	СН			
	ND: Yellow to white to buff to b irse grained, saturated.	rown, fine to	0000000	GM			

APPENDIX B

LITHOLOGIC LOGS

FITLE: NAS Whiting Field LO			LOG of	WELL:		BORING NO. AST-SB-13			
CLIENT: SOUTHNAVFACENGC	ОМ	. •	<u> </u>	-		PROJECT NO: 7518-42			
CONTRACTOR: IVEY Drilling Co	ompany			DATE STARTED: 03/11/94			COMPLTD: 03/11/94		
METHOD: 3.25" HSA & 2" Mud	Rotary	CASE SIZE: n/a		SCREEN INT.: n/a			PROTECTION LEVEL: D		
TOC ELEV.: n/a FT.		MONITOR INST.: OVA		TOT DPTH: 82FT.		DPTH	TO ¥ ~81 FT.		
LOGGED BY: P. Wagner WELL DEVELOPMENT DATE:			DATE: n/a			SITE:	: 2891		
SOLL/ROCK DESCRIF LABORATORY SAMPLE ID. SO AM LE COMMENTS AND COMMENTS				ION	LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA	
5		YEY SAND: clay and si % clay, well graded, lo		_		SC	POSTHOLE		
2.0/2		YEY SAND: clay and si % clay, well graded, so					3,4,6,7		
2.0/2		YEY SAND: as above, lerate borwn.	~15% clay,	light brown to			6,3,4,6		
2.0/2	clay	YEY SAND: clay to me /, ~5% medium sand, so	_				6,5,4,4		
1.9/2	n l	orange. CLAYEY SAND: as above. SANDY CLAY: nonplastic, ~25% sand, fine to coarse subangular grains, moderate reddish brown.					5,6,9,9		
- 1.6/2	0 sub					CL	3,4,6,9		
- 1.6/2	0 SAN	YEY SAND: clay to fine t moderate brown. IDY CLAY: nonplastic, - t, light brownish gray.	-				2,4,8,9		
1.7/2	SAN	NDY CLAY: stiff, ~15% fit t gray with moderate re	-				2,6,9,15		
0	0 with	NDY CLAY: as above, ven light red mottling. YEY SAND: clay to fine				SC SP	4,5,5,8		
	sof SAN	t, dark yellowish orange ID: fine-grained, well s very light gray.	e.			SC			
5——————————————————————————————————————	0 sof	YEY SAND: clay to fine t, light brown. ND: fine— to very coars				5W	6,7,8,9		
	SOF	t, very light gray.	1 of 289		000	GM	TAL SERVICES,		

TITLE: NAS Whiting Field	LOG o	f WELL:		BOR:	ING NO. AST-SB-13	
CLIENT: SOUTHNAVFACENGCOM				PRO	JECT NO: 7518-42	
CONTRACTOR: IVEY Drilling Company		DATE STARTED: 0	13/11/94	COMPLTD: 03/11/94		
METHOD: 3.25" HSA & 2" Mud Rotary	CASE SIZE: n/a	SCREEN INT.: n/a		PROTECTION LEVEL: D		
TOC ELEV.: n/a FT.	MONITOR INST.: OVA	TOT DPTH: 82FT.		DPTH	TO ¼ ~81 FT.	
LOGGED BY: P. Wagner	WELL DEVELOPMENT DATE: n/	a		SITE:	: 2891	
DEPTH FT. SAMPLE SAMPLE RECOVERY HEADSPACE (ppm)	SOIL/ROCK DESCRIP AND COMMENTS Continued from PA		LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA
2.0/2 0 SAN sma gra 1.7/2 0 SAN lami	ND: very fine— to coarse—graine Ill subrounded quarzite pebbles y. ND: as above, light gray with mo nae. ND: as above, 0"-6"= mottled pi 24"= light gray.	(1%), soft, light derate pink		GM	5,6,9,9 6,10,10,14 6,6,8,7	
	ND: very fine— to fine—grained, q y, moderate pink and dark yello ers.		0 0 0	SW	6,8,10,12	
sub	ND: very fine— to medium—graine rounded, soft, light gray with so derate pink layers.			SC	6,12,11,14	
2.0/2 1 end	ND: very fine— to fine—grained, s ling. Bottom 1/8" is gray sandy ND: very fine— to fine—grained, s	clay.			6,10,12,14	
60—	PAGE 2 of 28	91SB13 ABB E	ENVIRON	NMEN]	TAL SERVICES, IN	IC.

TITLE: NAS Whiting Field		LOG of	WELL:		BOR	ING NO. AST-SB-13	
CLIENT: SOUTHNAVFACENGCOM	, <u> </u>				PROJECT NO: 7518-42		
CONTRACTOR: IVEY Drilling Compan	·		DATE STARTED: 0	3/11/94	COMPLTD: 03/11/94		
METHOD: 3.25" HSA & 2" Mud Rotary	CASE SIZE: n/a	-	SCREEN INT.: n/a	3	PROTECTION LEVEL: D		
TOC ELEV.: n/a FT.	MONITOR INST.: OVA		TOT DPTH: 82FT.		DPTH	I TO ♀ ~81 FT.	
LOGGED BY: P. Wagner	WELL DEVELOPMENT					: 2891	
DEPTH FT. FT. OI BANDARA SAMPLE SAMPLE RECOVERY HEADSPACE (ppm)	SOIL/ROCK AND CO Continued	OMMENTS		LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA
1.7/2 0	SAND: as above.				SC	10,11,13,14	
	SAND: very fine- to mediul nch clay layers, firm, well prown red laminae.					10,12,13,22	
	SAND: very fine- to fine-g graded, firm, light gray.	grained wi	th some clay, well			9,9,14,24	
	SAND: fine- to coarse-gra ight red.	ained, well	graded, firm,	0.0	SW	19,27,32,25	
	SAND: very fine- to very o several 1/8" clay stringers yellowish orange to grayisl	, well grad	ded, firm, dark			15,17,20,22	
85—							
90—	PAGE 3	3 of 289	1SB13 ABB E	ENVIRON	NMEN	TAL SERVICES,	INC.

TITLE: NAS Whiting Field	LOG of WELL:	BORING NO. AST-SB-14				
CLIENT: SOUTHNAVFACENGCOM		<u> </u>		PROJECT NO: 7518-42		
CONTRACTOR: IVEY Drilling Com	pany	DATE STARTED:	03/12/94	COMPLTD: 03/12/94		
METHOD: 3.25" HSA & 2" Mud Re	tary CASE SIZE: n/a	SCREEN INT.: n	ı/a	PROTECTION LEVEL: D		
roc ELEV.: n/a FT.	MONITOR INST.: OVA	TOT DPTH: 77FT		DPTH	TO ♀ ~76 F⊺.	
OGGED BY: P. Wagner	WELL DEVELOPMENT	DATE: n/a		SITE:	: 2891	
		DESCRIPTION DMMENTS	LITHOLOGIC	SOIL CLASS	BLOWS/6-IN	WELL DATA
-	CLAYEY SAND: clay and si ~20% clay, well graded, so	_		SC	POSTHOLE	
5	CLAYEY SAND: clay to fine well graded, soft, dark red	e-grained sand, ~35% clay, ddish brown.			3,3,2,2	
1.9/2	CLAYEY SAND: as above, i			CL	2,3,4,7	
0	I	SANDY CLAY: nonplastic, 30 to 35% fine— to coarse—grained sand, dark yellowish orange with moderate reddish brown mottles. CLAYEY SAND: very fine— to fine—grained, 20 to 25% clay, soft, moderate brown. SANDY CLAY: nonplastic, stiff, 25 to 30% fine— to very coarse—sand, well graded, mottled dark			2,6,7,8	
- 1.7/2	moderate reddish brown				4,8,19,18	
1.8/2	SANDY CLAY: nonplastic, s				2,4,8,14	
1.6/2	SANDY CLAY: as above.			SC	4,7,8,8	
2.0/2	CLAYEY SAND: fine- to ve	ddish orange. ery coarse-grained, ~1%			4,6,7,7	
0	pebbles, 15% clay decreasi moderate orange pink. SAND: as above, with 2 to				4,4,7,8	
25—————————————————————————————————————	SAND: as above. SAND: very fine- to fine-grayish orange pink.	grained, graded, soft,		SP	5,7,10,11	

TITLE: NAS Whiting Field	LOG o	f WELL:		BORING NO. AST-SB-14
CLIENT: SOUTHNAVFACENGCOM				PROJECT NO: 7518-42
CONTRACTOR: IVEY Drilling Company		DATE STARTED: 03	/12/94	COMPLTD: 03/12/94
METHOD: 3.25" HSA & 2" Mud Rotary	CASE SIZE: n/a	SCREEN INT.: n/a		PROTECTION LEVEL: D
TOC ELEV.: n/a FT. MONITOR INST.: 0VA TOT DPT				DPTH TO ♀ ~76 FT.
LOGGED BY: P. Wagner WELL DEVELOPMENT DATE: n/a				SITE: 2891
DEPTH FT. SAMPLE SAMPLE RECOVERY HEADSPACE (ppm)	SOIL/ROCK DESCRIP AND COMMENTS Continued from P		LITHOLOGIC SYMBOL	SOIL CLASS TI-9/SMOTH
2.0/2 0 Sof bro	AYEY SAND: very fine— to fine— t, grayish orange pink above da wn. AYEY SAND. very fine— to coars arse grains, well graded, 15% cla d pinkish gray layers grading do kish gray.	ark yellowish se-grained, 2 to 5% y, reddish orange		SC 5,6,10,10 SC
gra	ND: clay to fine-grained sand, { derate orange pink grading dow y.			8,8,8,8 CL
- 1.8/2 0 fine	NDY CLAY: slightly plastic, 25% e-grained sand, moderate pink. ND: very fine- to fine-grained, soft, moderate reddish orange	2 to 5% clay and		SC 4,7,8,6
	ND: as above, moderate reddish vn to very light gray.	orange grading		8,10,10,4
	ND: fine— to medium—grained wit arse grains, well graded, firm, ve			13,8,12,13 SC
1.7/2 1 Clay	ND: very fine— to fine—grained, y, very light gray. ND: fine— to medium—grained wit arse grains to small pebbles, we dish orange.	h trace of very		SW 6,8,10,12
60—	PAGE 2 of 28	L 91SB14 ABB EN	NVIRON	MENTAL SERVICES, INC.

TITLE: NAS Whiting F	ield			LOG of	WELL:		BORI	NG NO. AST-SB-14	
CLIENT: SOUTHNAVF	ACENG	СОМ					PROJ	ECT NO: 7518-42	
CONTRACTOR: IVEY	Drilling (Compan	у		DATE STARTED: 0	3/12/94		COMPLTD: 03/12/9	14
METHOD: 3.25" HSA 8	S 2" Muc	Rotar	y CASE SIZE: n/a		SCREEN INT.: n/a	3	PROTECTION LEVEL: D		
TOC ELEV.: n/a FT.	C ELEV.: n/a FT. MONITOR INST.: OVA TOT DPTH: 77FT.				DPTH	TO ♀ ~76 FT.			
LOGGED BY: P. Wagner WELL DEVELOPMENT DATE: n/a				SITE:	2891				
T LABORATORY & WE SOME	RECOVERY	HEADSPACE (ppm)	SOIL/ROCK AND CO Continued	DMMENTS		LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA
1	/		SAND: as above.				SW		
1 [1.5/2		SAND: very fine- to fine-c firm, white.	grained, p	oorly graded,		SP	10,15,21,26	
-									
55—									
	1.7/2			AND: as above, trace clay, white above light red verlying dark yellowish orange.				2,18,24,20	
-			overlying dark yellowish or						
-									
70—			SAND: fine-grained, poorly	/ graded,	firm, subangular				
-	2.0/2	^	grains, very pale orange.			- sc	17,23,27,28		
-	-		SAND: very fine- to medium silt, 1/4" clay stringers, firm						
-			moderate red.						
-									
75—			CLAYEY SAND: very fine-				SP		
-	2.0/2	"	clay, firm, very pale orang SAND: medium-grained, a t				31	13,27,40,52	
			poorly graded, dense, gray						
-									
30									
-									
-									
-									
35—									
-									
-									
4									
90									
			PAGE_3	1 of 280	ISBIA ARRI		MENT	AL SERVICES, I	NC.

APPENDIX C LABORATORY ANALYTICAL DATA



5910 Breckenridge Parkway, Suite H 813-621-0784 Tampa, FL 33610 FAX 813-623-6021

ANALYTICAL REPORT

PROJECT NO. 07518.42

NAS WHITING SITE 2891

PAMELA WAGNER

ABB ENVIRONMENTAL SERVICES

ENSECO-WADSWORTH/ALERT LABORATORIES Certification Numbers: E84059, HRS84297

FDEP CompQAP: 870270G

Chris Amstutz Project Manager

March 25, 1994



Enseco-Wadsworth/ALERT Laboratories utilizes only USEPA approved methods in analytical work. The methods used for the analyses presented in the following report are listed below.

<u>Parameters</u> <u>Methods</u>

Ethylene Dibromide
by Purge and Trap/ECD
Polyaromatic Hydrocarbons
Volatile Organics
Lead
Petroleum Hydrocarbons
Total Recoverable

USEPA 625 USEPA 601/2 MCAWW 239.2 MCAWW 418.1

FL-HRS 601-MODIFIED

References:

FL-HRS Method Developed by the State of Florida Department of Health and Rehabilitative Services Analytical Laboratories.

MCAWW Methods for Chemical Analysis of Water and Wastes, EMSL: Cincinnati, OH: March 1983 and its updates.

USEPA Longbottom, J. and Lichtenberg, J., Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water EMSL: Cincinnati, OH, July 1982 and its updates. B4C130004

RESULT

PARAMETER

REPORTING

LIMIT UNIT

METHOD

NO DETECTABLE PARAMETERS CONTAINED IN THIS REPORT



The analytical results of the samples listed below are presented on the following pages.

<u>₩O #</u>	LABORATORY ID	SAMPLE IDENTIFICATION
K9026	B4C110004-001	WHF-1467-13R
K9027	B4C110004-002	WHF-2894-2
K9028	B4C110004-003	WHF-2894-3
K9029	B4C110004-004	WHF-2894-4
K9030	B4C110004-005	WHF-2894-5
K9031	B4C110004-006	WHF-2894-DUP
K9032	B4C110004-007	TRIP BLANK



SAMPLE SUMMARY

The analytical results of the samples listed below are presented on the following pages.

<u>WO #</u>	LABORATORY ID	SAMPLE IDENTIFICATION
K9724	B4C130004-001	WHF 2894-1
K9725	B4C130004-002	WHF 2894-1D
K9726	B4C130004-003	WHF 2894-2D
K9727	B4C130004-004	WHF 2894-6
K9728	B4C130004-005	WHF 2891-EB
K9729	B4C130004-006	TRIP BLANK



WHF 2894-1

WO #: K9724105 LAB #: B4C130004-001

MATRIX: WATER

DATE SAMPLED: 3/10/94 DATE RECEIVED: 3/12/94

	1 RESULT	OF 2							
PARAMETER	(uq/L)	REPORTING LIMIT	METHOD	EXTRACTION-	QC				
	109/2/		METHOD	ANALYSIS DATE	<u>BATCH</u>				
Benzene	ND	1.0	USEPA 601/2	03/17/94	4077074				
Bromodichloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
Bromoform	ND	1.0	USEPA 601/2	03/17/94	4077074				
Bromomethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/17/94	4077074				
Chlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074				
Dibromochloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
Chloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074				
Chloroform	ND	1.0	USEPA 601/2	03/17/94	4077074				
Chloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074				
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074				
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074				
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074				
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074				
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074				
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074				
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/17/94	4077074				
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074				
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074				
Ethylbenzene	ND	1.0	USEPA 601/2	03/17/94	4077074				
SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE	LIMITS						
Bromochloromethane	105	(78 - 1	.22)						
Trifluorotoluene	100	(73 - 1	,						

NOTE: AS RECEIVED



WHF 2894-1

WO #: K9724105

LAB #: B4C130004-001

MATRIX: WATER

DATE SAMPLED: 3/10/94

DATE RECEIVED: 3/12/94

- GC Volatiles -

	2	OF - 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(uq/L)	LIMIT	<u>METHOD</u>	ANALYSIS DATE	BATCH
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/17/94	400004
Methylene chloride	ND	1.0	•	• •	4077074
-	-		USEPA 601/2	03/17/94	4077074
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Tetrachloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Toluene		· ·	•	, ,	4077074
	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2-Trichloroethane	ND	1.0	######################################	((- :	
• • • • • • • • • • • • • • • • • • • •			USEPA 601/2	03/17/94	4077074
Trichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Vinyl chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Xylenes, Total	ND				
		1.0	USEPA 601/2	03/17/94	4077074
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	105	(78 - 122)
Trifluorotoluene	100	(73 - 131)

NOTE: AS RECEIVED



WHF 2894-1

WO #: K9724104

LAB #: B4C130004-001

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED:

3/12/94

EXTRACTION-

PARAMETER

RESULT (ug/L)

REPORTING <u>LIMIT</u> <u>METHOD</u>

ANALYSIS DATE BATCH

Ethylene dibromide

ND

0.020 FL-HRS 601-M 03/23/94

4083038

SURROGATE RECOVERY

<u>ACCEPTABLE LIMITS</u>

Bromoform

91

(41 - 152)

NOTE: AS RECEIVED



WHF 2894-1

WO #: K9724103

LAB #: B4C130004-001

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED: 3/12/94

		-			
PARAMETER	RESULT (ug/L)	REPORTING LIMIT_	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Acenaphthene	ND	5 0			
		5.0	USEPA 625	03/17-03/22/94	4076052
Acenaphthylene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(a)anthracene	ND	5.0	USEPA 625	00/25 00/25/	
Benzo(b) fluoranthene	ND			03/17-03/22/94	4076052
Benzo(k) fluoranthene		5.0	USEPA 625	03/17-03/22/94	4076052
Belizo (K) II doranthene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(ghi)perylene	ND	5.0	USEPA 625	02/17 02/22/24	
Benzo(a) pyrene	ND	5.0		03/17-03/22/94	4076052
Chrysene			USEPA 625	03/17-03/22/94	4076052
chrybene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Dibenz (a,h) anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076053
Fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Fluorene	ND	5.0		03/17-03/22/94	
	112	3.0	USEPA 625	03/17-03/22/94	4076052
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
2-Methylnaphthalene	ND	5.0	USEPA 625	03/17-03/22/94	
Naphthalene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
_		575	CODER 025	03/17-03/22/94	40/6052
Phenanthrene	ND	5.0	USEPA 625	03/17-03/22/94	4076053
Pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
1-Methylnaphthalene	ND	5.0			
1 F	110	5.0	USEPA 625	03/17-03/22/94	4076052

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	84	(22 - 135)
2-Fluorobiphenyl	61	(34 - 140)
Terphenyl-d14	46	(10 - 132)

NOTE: AS RECEIVED



WHF 2894-1

WO #: K9724

LAB #: B4C130004-001

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED:

3/12/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/22/94	4082091

NOTE: AS RECEIVED



WHF 2894-1

WO #: K9724

LAB #: B4C130004-001

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED: 3/12/94

PARAMETER	RESULT	REPORTING LIMIT	<u>UNIT</u>	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/22/94	4076073

NOTE: AS RECEIVED



WHF-2894-2

WO #: K9027105

LAB #: B4C110004-002

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED: 3/11/94

		OF 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(uq/L)	LIMIT	<u>METHOD</u>	ANALYSIS DATE	<u>BATCH</u>
Benzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromodichloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromoform	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromomethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Chlorobenzene	ИD	1.0	USEPA 601/2	03/19/94	4080110
Dibromochloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroform	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
Ethylbenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
SURROGATE RECOVERY	<u>&</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	90	(78 - 1	.22)		
Trifluorotoluene	98	(73 - 1	.31)		

NOTE: AS RECEIVED



WO #: K9027105

LAB #: B4C110004-002

MATRIX: WATER

DATE SAMPLED: DATE RECEIVED: 3/11/94

3/09/94

	2 (OF - 2			
	RESULT	REPORTING		EXTRACTION-	OC
PARAMETER	(ug/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Methylene chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Tetrachloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Toluene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Trichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Vinyl chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Xylenes, Total	ND	1.0	USEPA 601/2	03/19/94	4080110
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110

SURROGATE RECOVERY	<u> </u>	ACCEPTABLE LIMITS
Bromochloromethane	. 90	(78 - 122)
Trifluorotoluene	98	(73 - 131)

NOTE: AS RECEIVED



WO #: K9027104

LAB #: B4C110004-002

MATRIX: WATER

DATE SAMPLED: 3/09/94

03/21/94

DATE RECEIVED: 3/11/94

4080116

RESULT REPORTING EXTRACTION-QC (ug/L) LIMIT METHOD PARAMETER ANALYSIS DATE BATCH Ethylene dibromide ND 0.020 FL-HRS 601-M

SURROGATE RECOVERY

<u>ACCEPTABLE LIMITS</u>

Bromoform

90

(41 - 152)

NOTE: AS RECEIVED



WHF-2894-2

WO #: K9027103

LAB #: B4Cl10004-002

MATRIX: WATER

DATE SAMPLED: 3/09/94

DATE RECEIVED: 3/11/94

		•			
PARAMETER	RESULT (ug/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
3					
Acenaphthene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Acenaphthylene	ND	5.0	USEPA 625	03/14-03/18/94	
Anthracene	ND	5.0	USEPA 625	03/14-03/18/94	
Benzo(a) anthracene	ND	5.0	USEPA 625	03/14-03/18/94	1072061
Benzo(b)fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Benzo(k) fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/14-03/18/94	4072064
Benzo(a)pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
Chrysene	ND	5.0	USEPA 625	03/14-03/18/94	
Dibenz (a, h) anthracene	ND	5.0	USEPA 625		
Fluoranthene	ND	5.0		03/14-03/18/94	
Fluorene	ND	5.0	USEPA 625	03/14-03/18/94	
	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
2-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
Naphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
Phenanthrene	ND	5.0	USEPA 625	03/14-03/18/94	4072064
Pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
1-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
- -			COBER 623	03/14-03/18/94	40/3064

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	66	(22 - 135)
2-Fluorobiphenyl	9 4	(34 - 140)
Terphenyl-d14	78	(10 - 132)

NOTE: AS RECEIVED



WO #: K9027

LAB #: B4C110004-002

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED:

3/11/94

PARAMETER	RESULT	REPORTING LIMIT	<u>UNIT</u>	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/17/94	4076074

NOTE: AS RECEIVED



WO #: K9027

LAB #: B4C110004-002

MATRIX: WATER

DATE SAMPLED: 3/09/94
DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/22/94	4076073

NOTE: AS RECEIVED



WHF-2894-3

WO #: K9028105

LAB #: B4C110004-003

MATRIX: WATER

DATE SAMPLED: 3/09/94
DATE RECEIVED: 3/11/94

	_	OF - 2								
	RESULT	REPORTING		EXTRACTION-						
PARAMETER	(uq/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH					
Benzene	ND	1.0	110000 co. /c	20 12 2 12 2						
Bromodichloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110					
Bromoform	ND	1.0	USEPA 601/2	03/19/94	4080110					
	ND	1.0	USEPA 601/2	03/19/94	4080110					
Bromomethane	ND	1.0	USEPA 601/2	03/19/94	4080110					
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/19/94	4080110					
Chlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110					
				00/15/54	4000110					
Dibromochloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110					
Chloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110					
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110					
Chloroform	ND	1.0	USEPA 601/2	03/19/94	4080110					
Chloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110					
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110					
1,3-Dichlorobenzene										
•	ND	1.0	USEPA 601/2	03/19/94	4080110					
1,4-Dichlorobenzene Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110					
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110					
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	1000110					
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110 4080110					
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94						
,		1.0	USEPA 001/2	03/19/94	4080110					
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110					
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110					
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/19/94	4080110					
			· · · · · · · · · · · · · · · · ·	00/15/51	4000110					
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110					
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110					
Ethylbenzene	ND	1.0	USEPA 601/2	03/19/94	4080110					
SURROGATE RECOVERY	<u> </u>	ACCEPTABLE	LIMITS							
	_									
Bromochloromethane	93	(78 - 1	.22)							
Trifluorotoluene	97	(73 - 1	.31)							

NOTE: AS RECEIVED



WO #: K9028105

LAB #: B4C110004-003

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED: 3/11/94

		GC Volatiles OF - 2			
PARAMETER	RESULT (uq/L)	REPORTING LIMIT	<u>METHOD</u>	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Methylene chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Tetrachloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Toluene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Trichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Vinyl chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Xylenes, Total	ND	1.0	USEPA 601/2	03/19/94	4080110
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110

SURROGATE RECOVERY	<u> </u>	ACCEPTABLE LIMITS
Bromochloromethane	93	(78 - 122)
Trifluorotoluene	97	(73 - 131)

NOTE: AS RECEIVED



WHF-2894-3

WO #: K9028104

LAB #: B4C110004-003

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED:

3/11/94

RESULT REPORTING EXTRACTION-QC PARAMETER (ug/L) LIMIT <u>METHOD</u> ANALYSIS DATE BATCH

Ethylene dibromide

ND

0.020 FL-HRS 601-M 03/21/94

4080116

SURROGATE RECOVERY

<u>*</u>

ACCEPTABLE LIMITS

Bromoform

102

(41 - 152)

NOTE: AS RECEIVED



WO #: K9028103

LAB #: B4C110004-003

MATRIX: WATER

DATE SAMPLED: 3/09/94 DATE RECEIVED: 3/11/94

PARAMETER	RESULT (ug/L)	REPORTINGLIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Acenaphthene	ND	5.0	USEPA 625	03/14-03/18/94	1072061
Acenaphthylene	ND	5.0	USEPA 625	03/14-03/18/94	
Anthracene	ND	5.0	USEPA 625	03/14-03/18/94	
				,,,,,,,,,	4075004
Benzo(a)anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(b)fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Benzo(k)fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
				. ,	
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(a)pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
Chrysene	ND	5.0	USEPA 625	03/14-03/18/94	
Diberry (a. b.) - white a second					
Dibenz (a, h) anthracene	ND	5.0	USEPA 625	03/14-03/18/94	
Fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Fluorene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Indeno(1,2,3-cd)pyrene					
	ND	5.0	USEPA 625	03/14-03/18/94	
2-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
Naphthalene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Phenanthrene	ND	F 0	110000 cor	 / / / /	
Pyrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
1-Methylnaphthalene		5.0	USEPA 625	03/14-03/18/94	
1 Meenymaphenatene	ND	5.0	USEPA 625	03/14-03/18/94	4073064

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	76	(22 - 135)
2-Fluorobiphenyl	101	(34 - 140)
Terphenyl-d14	90	(10 - 132)

NOTE: AS RECEIVED



WO #: K9028

LAB #: B4C110004-003

MATRIX: WATER

DATE SAMPLED: 3/09/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/22/94	4082091

NOTE: AS RECEIVED



WO #: K9028

LAB #: B4C110004-003

MATRIX: WATER

DATE SAMPLED: 3/09/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/22/94	4076073

NOTE: AS RECEIVED



WHF-2894-4

WO #: K9029105

LAB #: B4C110004-004

MATRIX: WATER

DATE SAMPLED: 3/09/94

DATE RECEIVED: 3/11/94

	0	C Volatiles			
		OF 2			
	RESULT	REPORTING		EXTRACTION-	QC
<u>PARAMETER</u>	(uq/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
					DATCH
Benzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromodichloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromoform	ND	1.0	USEPA 601/2	03/19/94	4080110
_			·	, ,	
Bromomethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Chlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Dibromochloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110
al 3					
Chloroform	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloromethane	ир	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1 2 Diebleschesses					
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,4-Dichlorobenzene Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Dichiorodifiuoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethane					
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
i, i-bichioroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,2-Dichloroethene	ND				
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloropropane	ND ND	1.0	USEPA 601/2	03/19/94	4080110
1,2 Diemiolopiopane	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,3-Dichloropropene	ND	1.0	********		
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
Ethylbenzene	ND	1.0 1.0	USEPA 601/2	03/19/94	4080110
,	ND	1.0	USEPA 601/2	03/19/94	4080110
SURROGATE RECOVERY	<u>\$</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	94	(78 - 1	221		
Trifluorotoluene	97	(73 - 1	•		
	-,	(/3 - 1	J = 1		

NOTE: AS RECEIVED



WHF-2894-4

WO #: K9029105

LAB #: B4C110004-004

MATRIX: WATER

DATE SAMPLED:

3/09/94 DATE RECEIVED: 3/11/94

-	-	GC	Vol	atiles	-	-	-	-	-	_	-	-	_	_	_	_	_	_	_	_	_	_	_
		OF		2																			

	2	OF - 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(uq/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Methylene chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Tetrachloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Toluene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Trichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Vinyl chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Xylenes, Total	ND	1.0	USEPA 601/2	03/19/94	4080110
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	9 4	(78 - 122)
Trifluorotoluene	97	(73 - 131)

NOTE: AS RECEIVED



WHF-2894-4

WO #: K9029104

LAB #: B4C110004-004

MATRIX: WATER

PARAMETER

DATE SAMPLED: 3/09/94
DATE RECEIVED: 3/11/94

RESULT REPORTING

EXTRACTION-LIMIT METHOD ANALYSIS DATE BATCH

QC

Ethylene dibromide

ND

- (uq/L)

0.020 FL-HRS 601-M 03/21/94

4080116

SURROGATE RECOVERY

<u>*</u>

ACCEPTABLE LIMITS

Bromoform

96

(41 - 152)

NOTE: AS RECEIVED



WHF-2894-4

WO #: K9029103

LAB #: B4C110004-004

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT (ug/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Acenaphthene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Acenaphthylene	ND	5.0	USEPA 625	03/14-03/18/94	
Anthracene	ND	5.0	USEPA 625	03/14-03/18/94	
Benzo(a) anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(b)fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(k)fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo (a) pyrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Chrysene	ND	5.0	USEPA 625	03/14-03/18/94	
Dibenz(a,h)anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Fluorene	ND	5.0	USEPA 625	03/14-03/18/94	
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
2-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
Naphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
Phenanthrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
1-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	

SURROGATE RECOVERY	<u>\$</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	81	(22 - 135)
2-Fluorobiphenyl	100	(34 - 140)
Terphenyl-d14	68	(10 - 132)

NOTE: AS RECEIVED



WHF-2894-4

WO #: K9029

LAB #: B4C110004-004

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED: 3/11/94

PARAMETER	<u>RESULT</u>	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/22/94	4082091

NOTE: AS RECEIVED



WHF-2894-4

WO #: K9029

LAB #: B4C110004-004

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/22/94	4076073

NOTE: AS RECEIVED



WHF-2894-5

WO #: K9030105

LAB #: B4C110004-005

MATRIX: WATER

DATE SAMPLED:

3/08/94

DATE RECEIVED: 3/11/94

	RESULT	OF 2			
<u>PARAMETER</u>	(uq/L)	REPORTING		EXTRACTION-	QC
<u></u>	- <u>(uq/b)</u>	LIMIT	METHOD	ANALYSIS DATE	<u>BATCH</u>
Benzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromodichloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromoform	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromomethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Chlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Dibromochloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroform	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
Ethylbenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	89	(78 - 1	.22)		

(73 - 131)

98

NOTE: AS RECEIVED

Trifluorotoluene



WHF-2894-5

WO #: K9030105

LAB #: B4C110004-005

MATRIX: WATER

DATE SAMPLED: 3/08/94 DATE RECEIVED: 3/11/94

CC Volumi

	_	C Volatiles			
PARAMETER	RESULT (ug/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Methylene chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Tetrachloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Toluene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Trichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Vinyl chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Xylenes, Total	ND	1.0	USEPA 601/2	03/19/94	4080110
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	89	(78 ~ 122)
Trifluorotoluene	98	(73 - 131)

NOTE: AS RECEIVED



WHF-2894-5

WO #: K9030104

LAB #: B4C110004-005

MATRIX: WATER

DATE SAMPLED: 3/08/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT (uq/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Ethylene dibromide	ND	0.020	FL-HRS 601-M	03/21/94	4080116

SURROGATE RECOVERY

<u>* ACCEPTABLE LIMITS</u>

Bromoform

95

(41 - 152)

NOTE: AS RECEIVED



WHF-2894-5

WO #: K9030103

LAB #: B4C110004-005

MATRIX: WATER

DATE SAMPLED: 3/08/94
DATE RECEIVED: 3/11/94

		-			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	- <u>(ug/L)</u>	<u>LIMIT</u>	<u>METHOD</u>	ANALYSIS DATE	BATCH
Acenaphthene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Acenaphthylene	ND	5.0	USEPA 625	03/14-03/18/94	
Anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(a) anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(b)fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Benzo(k)fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
				00,20,51	10,5001
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo (a) pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
Chrysene	ND	5.0	USEPA 625	03/14-03/18/94	
				,,,	
Dibenz(a,h)anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Fluorene	ND	5.0	USEPA 625	03/14-03/18/94	
			002111 000	03/11 03/10/54	4073004
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
2-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
Naphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
_				12, 21 00, 10, 51	10,5004
Phenanthrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
1-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	. 83	(22 - 135)
2-Fluorobiphenyl	105	(34 - 140)
Terphenyl-d14	76	(10 - 132)

NOTE: AS RECEIVED



WHF-2894-5

WO #: K9030

LAB #: B4C110004-005

MATRIX: WATER

DATE SAMPLED:

3/08/94

DATE RECEIVED:

3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC BATCH
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/15/94	4074062

NOTE: AS RECEIVED



WHF-2894-5

WO #: K9030

LAB #: B4C110004-005

MATRIX: WATER

DATE SAMPLED:

3/08/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	<u>UNIT</u>	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/22/94	4076073

NOTE: AS RECEIVED



WHF 2894-6

WO #: K9727105

LAB #: B4C130004-004

MATRIX: WATER

DATE SAMPLED: 3/10/94
DATE RECEIVED: 3/12/94

	1	OF 2			
PARAMETER	RESULT (ug/L)	REPORTINGLIMIT	<u>METHOD</u>	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Benzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromodichloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromoform	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromomethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Chlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dibromochloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroform	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/17/94	4077074
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
Ethylbenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
SURROGATE RECOVERY	<u> ક</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	· 118	(78 - 1	22)		
Trifluorotoluene	97	(73 - 1	•		
		,	,		

NOTE: AS RECEIVED



WHF 2894-6

WO #: K9727105

LAB #: B4C130004-004

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED: 3/12/94

-	GC	Vo.	lati	lles
---	----	-----	------	------

	2	OF - 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(uq/L)	LIMIT	METHOD	ANALYSIS DATE	<u>BATCH</u>
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Methylene chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Tetrachloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Toluene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Trichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Vinyl chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Xylenes, Total	ND	1.0	USEPA 601/2	03/17/94	4077074
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	118	(78 - 122)
Trifluorotoluene	97	(73 - 131)

NOTE: AS RECEIVED



WHF 2894-6

WO #: K9727104

LAB #: B4C130004-004

MATRIX: WATER

DATE SAMPLED: 3/10/94
DATE RECEIVED: 3/12/94

REPORTING RESULT EXTRACTION- QC PARAMETER (uq/L) LIMIT METHOD ANALYSIS DATE BATCH

Ethylene dibromide

ND 0.020 FL-HRS 601-M

03/23/94

4083038

SURROGATE RECOVERY

<u>ACCEPTABLE LIMITS</u>

Bromoform

117

(41 - 152)

NOTE: AS RECEIVED



WHF 2894-6

WO #: K9727103

LAB #: B4C130004-004

MATRIX: WATER

DATE SAMPLED: 3/10/94

DATE RECEIVED: 3/12/94

		-			
	RESULT	REPORTING		EXTRACTION-	QC
<u>PARAMETER</u>	(uq/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
					<u> </u>
Acenaphthene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Acenaphthylene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Anthracene	ND	5.0	USEPA 625	03/17-03/22/94	
				00/1/03/22/34	4070032
Benzo(a)anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(b) fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	
Benzo(k) fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	
			002111 025	03/11-03/22/34	4076032
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo (a) pyrene	ND	5.0	USEPA 625	03/17-03/22/94	
Chrysene	ND	5.0	USEPA 625	03/17-03/22/94	
-			002111 023	03/17-03/22/34	40/6052
Dibenz(a,h)anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076050
Fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	
Fluorene	ND	5.0	USEPA 625	03/17-03/22/94	
		3.0	OSEPA 025	03/17-03/22/94	4076052
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4055055
2-Methylnaphthalene	ND	5.0	USEPA 625		
Naphthalene	ND	5.0	USEPA 625	03/17-03/22/94	
2	112	3.0	USEPA 625	03/17-03/22/94	4076052
Phenanthrene	ND	5.0	USEPA 625	03/17 03/00/04	
Pyrene	ND	5.0	· · · · · · · · · · · · · · · ·	03/17-03/22/94	4076052
1-Methylnaphthalene	ND		USEPA 625	03/17-03/22/94	4076052
	ND	5.0	USEPA 625	03/17-03/22/94	4076052

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	95	(22 - 135)
2-Fluorobiphenyl	68	(34 - 140)
Terphenyl-d14	57	(10 - 132)

NOTE: AS RECEIVED



WHF 2894-6

WO #: K9727

LAB #: B4C130004-004

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED:

3/12/94

PARAMETER	RESULT	REPORTING LIMIT	G <u>UNIT</u>	METHOD	PREPARATION - ANALYSIS DATE	QC BATCH
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/22/94	4082091

NOTE: AS RECEIVED



WHF 2894-6

WO #: K9727

LAB #: B4C130004-004

MATRIX: WATER

DATE SAMPLED: 3/10/94

DATE RECEIVED:

3/12/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/22/94	4076073

NOTE: AS RECEIVED



WHF-1467-13R

WO #: K9026105

LAB #: B4C110004-001

MATRIX: WATER

DATE SAMPLED: 3/08/94

DATE RECEIVED: 3/11/94

	(GC Volatiles			
		OF - 2			
Da na Maman	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(uq/L)	<u>LIMIT</u>	<u>METHOD</u>	ANALYSIS DATE	BATCH
Benzene	ND	1 0	*******		
Bromodichloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromoform	ND	1.0	USEPA 601/2	03/19/94	4080110
DIOMOIOIM	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromomethane	ND	1.0	USEPA 601/2	03/19/94	4000770
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Chlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
		2.0	ODDER 001/2	03/19/94	4080110
Dibromochloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroform					
Chloromethane	ND 	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichioropenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4000110
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110 4080110
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
			002111 001/2	03/13/34	4080110
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
eie 1 0 Diebler					
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,3-Dichloropropene	ND	1.0	HCEPR COL /O	00/00/04	
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
Ethylbenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
,	ND	1.0	USEPA 601/2	03/19/94	4080110
SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	88	(78 - 1	22)		
Trifluorotoluene	98	(73 - 1			
•		(/3 - 1	,		

NOTE: AS RECEIVED



WHF-1467-13R

WO #: K9026105

LAB #: B4C110004-001

MATRIX: WATER

DATE SAMPLED: 3/08/94
DATE RECEIVED: 3/11/94

		C Volatiles OF - 2			
PARAMETER	RESULT (uq/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Methylene chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Tetrachloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Toluene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Trichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Vinyl chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Xylenes, Total	ND	1.0	USEPA 601/2	03/19/94	4080110
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110

SURROGATE RECOVERY	<u>&</u>	ACCEPTABLE LIMITS
Bromochloromethane	· 88	(78 - 122)
Trifluorotoluene	98	(73 - 131)

NOTE: AS RECEIVED



WHF-1467-13R

WO #: K9026104

LAB #: B4C110004-001

MATRIX: WATER

PARAMETER

DATE SAMPLED: 3/08/94
DATE RECRIVED: 3/11/94

RESULT - (ug/L) REPORTING

REPORTING EXTRACTION- QC
LIMIT METHOD ANALYSIS DATE BATCH

Ethylene dibromide

ND

0.020 FL-HRS 601-M 03/21/94 4080116

SURROGATE RECOVERY

<u>ACCEPTABLE LIMITS</u>

Bromoform

96

(41 - 152)

NOTE: AS RECEIVED



WHF-1467-13R

WO #: K9026103

LAB #: B4C110004-001

MATRIX: WATER

DATE SAMPLED: DATE RECEIVED: 3/11/94

3/08/94

•	
RESULT REPORTING EXTRACTION-	QC
PARAMETER - (ug/L) LIMIT METHOD ANALYSIS DATE	BATCH
——————————————————————————————————————	2111.011
Acenaphthene ND 5.0 USEPA 625 03/14-03/18/94	4073064
Acenaphthylene ND 5.0 USEPA 625 03/14-03/18/94	4073064
Anthracene ND 5.0 USEPA 625 03/14-03/18/94	4073064
	4075004
Benzo (a) anthracene ND 5.0 USEPA 625 03/14-03/18/94	4073064
Benzo (b) fluoranthene ND 5.0 USEPA 625 03/14-03/18/94	
Benzo (k) fluoranthene ND 5.0 USEPA 625 03/14-03/18/94	
33, 43, 33, 43, 33	4073004
Benzo(ghi)perylene ND 5.0 USEPA 625 03/14-03/18/94	4073064
Benzo (a) pyrene ND 5.0 USEPA 625 03/14-03/18/94	
Chrysene ND 5.0 USEPA 625 03/14-03/18/94	
	10/5004
Dibenz (a, h) anthracene ND 5.0 USEPA 625 03/14-03/18/94	4073064
Fluoranthene ND 5.0 USEPA 625 03/14-03/18/94	
Fluorene ND 5.0 USEPA 625 03/14-03/18/94	
	1075004
Indeno(1,2,3-cd)pyrene ND 5.0 USEPA 625 03/14-03/18/94	4073064
2-Methylnaphthalene ND 5.0 USEPA 625 03/14-03/18/94	
Naphthalene ND 5.0 USEPA 625 03/14-03/18/94	
11,00 00,20,01	4075004
Phenanthrene ND 5.0 USEPA 625 03/14-03/18/94	4073064
Pyrene ND 5.0 USEPA 625 03/14-03/18/94	
1-Methylnaphthalene ND 5.0 USEPA 625 03/14-03/18/94	

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	75	(22 - 135)
2-Fluorobiphenyl	81	(34 - 140)
Terphenyl-d14	47	(10 - 132)

NOTE: AS RECEIVED



WHF-1467-13R

WO #: K9026

LAB #: B4C110004-001

MATRIX: WATER

DATE SAMPLED:

3/08/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/17/94	4076074

NOTE: AS RECEIVED



WHF-1467-13R

WO #: K9026

LAB #: B4C110004-001

MATRIX: WATER

DATE SAMPLED: 3/08/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/21/94	4076073

NOTE: AS RECEIVED



WO #: K9725105

LAB #: B4C130004-002

MATRIX: WATER

DATE SAMPLED: 3/11/94
DATE RECEIVED: 3/12/94

	1	OF 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(ug/L)	LIMIT_	<u>METHOD</u>	ANALYSIS DATE	<u>BATCH</u>
Benzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromodichloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromoform	ND	1.0	USEPA 601/2	03/17/94	-
		2.0	ODEFA 001/2	03/17/94	4077074
Bromomethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Chlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dibromochloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074
				03/11/34	4077074
Chloroform	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
cis-1,2-Dichloroethene .	ND	1.0	11CED 2 (01/2	02/17/04	
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2 USEPA 601/2	03/17/94	4077074
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/17/94	4077074
, = = = = = = = = = = = = = = = = = = =	112	1.0	USEPA 601/2	03/17/94	4077074
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
Ethylbenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	112	(78 - 1	.22)		
Trifluorotoluene	98	(73 - 1			

NOTE: AS RECEIVED



WO #: K9725105

LAB #: B4C130004-002

MATRIX: WATER

DATE SAMPLED:

3/11/94 3/12/94

DATE RECEIVED:

		C Volatiles			
PARAMETER	RESULT (ug/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Methylene chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Tetrachloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Toluene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Trichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Vinyl chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Xylenes, Total	ND	1.0	USEPA 601/2	03/17/94	4077074
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	112	(78 - 122)
Trifluorotoluene	98	(73 - 131)

NOTE: AS RECEIVED



WHF 2894-1D

WO #: K9725104

LAB #: B4C130004-002

MATRIX: WATER

DATE SAMPLED: 3/11/94

DATE RECEIVED: 3/12/94

RESULT PARAMETER

REPORTING (uq/L) LIMIT

METHOD ANALYSIS DATE BATCH

EXTRACTION-

QC

Ethylene dibromide

ND

0.020 FL-HRS 601-M 03/23/94

4083038

SURROGATE RECOVERY

<u>*</u>

ACCEPTABLE LIMITS

Bromoform

99

(41 - 152)

NOTE: AS RECEIVED



WO #: K9725103

LAB #: B4C130004-002

MATRIX: WATER

DATE SAMPLED: 3/11/94
DATE RECEIVED: 3/12/94

PARAMETER	RESULT (uq/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Acenaphthene	ND	5.0	USEPA 625	03/17-03/22/94	4076050
Acenaphthylene	ND	5.0	USEPA 625	03/17-03/22/94	
Anthracene	ND	5.0	USEPA 625	03/17-03/22/94	
				00/2/ 05/22/54	4070032
Benzo(a)anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(b)fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	
Benzo(k)fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	
				,,,,,,,,,	1070032
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(a)pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Chrysene	ND	5.0	USEPA 625	03/17-03/22/94	
Dibenz (a,h) anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	
Fluorene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Tmdows (2, 0, 2, 1)					
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
2-Methylnaphthalene	ND	5.0	USEPA 625	03/17-03/22/94	
Naphthalene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Phenanthrene	1770				
Pyrene	ND	5.0	USEPA 625	03/17-03/22/94	
-	ND	5.0	USEPA 625	03/17-03/22/94	
1-Methylnaphthalene	ND	5.0	USEPA 625	03/17-03/22/94	4076052

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	95	(22 - 135)
2-Fluorobiphenyl	70	(34 - 140)
Terphenyl-d14	63	(10 - 132)

NOTE: AS RECEIVED



WO #: K9725

LAB #: B4C130004-002

MATRIX: WATER

DATE SAMPLED: 3/11/94

DATE RECEIVED: 3/12/94

PARAMETER	RESULT	REPORTING LIMIT	G <u>UNIT</u>	METHOD	PREPARATION - ANALYSIS DATE	QC BATCH
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/22/94	4082091

NOTE: AS RECEIVED



WO #: K9725

LAB #: B4C130004-002

MATRIX: WATER

DATE SAMPLED: 3/11/94

DATE RECEIVED: 3/12/94

REPORTING PREPARATION - QC PARAMETER RESULT LIMIT UNIT METHOD ANALYSIS DATE BATCH 5.0 ug/L MCAWW 239.2 3/18- 3/22/94 4076073 Lead ND

NOTE: AS RECEIVED



WO #: K9726105 LAB #: B4C130004-003

MATRIX: WATER

DATE SAMPLED: DATE RECEIVED: 3/12/94

3/11/94

		OF 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(ug/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
Benzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromodichloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromoform	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromomethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Chlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dibromochloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroform	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/17/94	4077074
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
Ethylbenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	99	(78 - 1	.22)		
Trifluorotoluene	98	(73 - 1	.31)		

NOTE: AS RECEIVED



WHF 2894-2D

WO #: K9726105

LAB #: B4C130004-003

MATRIX: WATER

DATE SAMPLED:

3/11/94

DATE RECEIVED: 3/12/94

	G	C Volatiles	 -		
	2	OF 2			
PARAMETER	RESULT (ug/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC
			1.511105	MANITOTO DATE	BATCH
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Methylene chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Tetrachloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Toluene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Trichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Vinyl chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Xylenes, Total	ND	1.0	USEPA 601/2	03/17/94	4077074
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074

SURROGATE RECOVERY	<u> </u>	ACCEPTABLE LIMITS
Bromochloromethane	99	(78 - 122)
Trifluorotoluene	98	(73 - 131)

NOTE: AS RECEIVED



WO #: K9726104

LAB #: B4C130004-003

MATRIX: WATER

DATE SAMPLED: 3/11/94

DATE RECEIVED: 3/12/94

RESULT REPORTING
(ug/L) LIMIT METHOD EXTRACTION-QC PARAMETER ANALYSIS DATE BATCH Ethylene dibromide ND 0.020 FL-HRS 601-M 03/23/94 4083038

SURROGATE RECOVERY

<u>ACCEPTABLE LIMITS</u>

Bromoform

- 98

(41 - 152)

NOTE: AS RECEIVED



WO #: K9726103

LAB #: B4C130004-003

MATRIX: WATER

DATE SAMPLED: 3/11/94 DATE RECEIVED: 3/12/94

		•			
	RESULT	REPORTING		EXTRACTION-	QC
<u>PARAMETER</u>	(uq/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
Acenaphthene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Acenaphthylene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Anthracene	ND	5.0	USEPA 625	03/17-03/22/94	
Benzo(a) anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(b) fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(k)fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Benzo(a)pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Chrysene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
,					
Dibenz (a, h) anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Fluorene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
2-Methylnaphthalene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Naphthalene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
_,					
Phenanthrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
1-Methylnaphthalene	ND	5.0	USEPA 625	03/17-03/22/94	4076052

SURROGATE RECOVERY	<u> </u>	ACCEPTABLE LIMITS
Nitrobenzene-d5 2-Fluorobiphenyl	89 68	(22 - 135) (34 - 140)
Terphenyl-d14	60	(10 - 132)

NOTE: AS RECEIVED



WO #: K9726

LAB #: B4C130004-003

MATRIX: WATER

DATE SAMPLED:

3/11/94

DATE RECEIVED: 3/12/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/22/94	4082091

NOTE: AS RECEIVED



WO #: K9726

LAB #: B4C130004-003

MATRIX: WATER

DATE SAMPLED:

3/11/94

DATE RECEIVED: 3/12/94

REPORTING PREPARATION - QC PARAMETER RESULT LIMIT UNIT METHOD ANALYSIS DATE BATCH 5.0 ug/L MCAWW 239.2 3/18- 3/22/94 4076073 Lead ND

NOTE: AS RECEIVED



WHF-2894-DUP

WO #: K9031105

LAB #: B4C110004-006

MATRIX: WATER

DATE SAMPLED: 3/09/94

DATE RECEIVED: 3/11/94

		OF 2			
DAD AMERICA	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	- (uq/L)	LIMIT_	METHOD	ANALYSIS DATE	BATCH
Benzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromodichloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromoform	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromomethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Chlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Dibromochloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroform	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Dichlorodifluoromethane	ИD	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
Ethylbenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	86	(78 - 1	.22)		
Trifluorotoluene	97	(73 - 1	31)		

NOTE: AS RECEIVED



WHF-2894-DUP

WO #: K9031105

LAB #: B4C110004-006

MATRIX: WATER

DATE SAMPLED: 3/09/94
DATE RECEIVED: 3/11/94

	_	C ACTACTTED			
	2	OF - 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	- (ug/L)	LIMIT_	METHOD	ANALYSIS DATE	BATCH
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Methylene chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Tetrachloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Toluene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Trichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Vinyl chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Xylenes, Total	ND	1.0	USEPA 601/2	03/19/94	4080110
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	86	(78 ~ 122)
Trifluorotoluene	97	(73 - 131)

NOTE: AS RECEIVED



WO #: K9031104

LAB #: B4C110004-006

MATRIX: WATER

PARAMETER

DATE SAMPLED:

3/09/94

DATE RECEIVED: 3/11/94

RESULT - <u>(uq/L)</u> REPORTING

LIMIT METHOD ANALYSIS DATE BATCH

EXTRACTION-

QC

Ethylene dibromide

ND

0.020 FL-HRS 601-M 03/21/94

4080116

SURROGATE RECOVERY

<u>*</u>

ACCEPTABLE LIMITS

Bromoform

91

(41 - 152)

NOTE: AS RECEIVED



WO #: K9031103

LAB #: B4C110004-006

MATRIX: WATER

DATE SAMPLED: 3/09/94

DATE RECEIVED: 3/11/94

		•			
	RESULT	REPORTING		EXTRACTION-	QC
<u>PARAMETER</u>	- (ug/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
Acenaphthene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Acenaphthylene	ND	5.0	USEPA 625	03/14-03/18/94	
Anthracene	ND	5.0	USEPA 625	03/14-03/18/94	
				.,,,	
Benzo(a) anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(b) fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Benzo(k) fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
				, ,,,,,,,,	
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Benzo(a)pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
Chrysene	ND	5.0	USEPA 625	03/14-03/18/94	
				,,,	
Dibenz(a,h)anthracene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Fluoranthene	ND	5.0	USEPA 625	03/14-03/18/94	
Fluorene	ND	5.0	USEPA 625	03/14-03/18/94	
				, , , -,	
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
2-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
Naphthalene	ND	5.0	USEPA 625	03/14-03/18/94	
				-, =,,	
Phenanthrene	ND	5.0	USEPA 625	03/14-03/18/94	4073064
Pyrene	ND	5.0	USEPA 625	03/14-03/18/94	
1-Methylnaphthalene	ND	5.0	USEPA 625	03/14-03/18/94	

SURROGATE RECOVERY	<u>&</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	. 82	(22 - 135)
2-Fluorobiphenyl	87	(34 - 140)
Terphenyl-d14	88	(10 - 132)

NOTE: AS RECEIVED



WO #: K9031

LAB #: B4C110004-006

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED:

3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	ug/L	MCAWW 418.1	3/15/94	4074062

NOTE: AS RECEIVED



WO #: K9031

LAB #: B4C110004-006

MATRIX: WATER

DATE SAMPLED:

3/09/94

DATE RECEIVED: 3/11/94

PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Lead	ND	5.0	ug/L	MCAWW 239.2	3/18- 3/22/94	4076073

NOTE: AS RECEIVED



WHF 2891-EB

WO #: K9728105

LAB #: B4C130004-005

MATRIX: WATER

DATE SAMPLED: 3/10/94
DATE RECEIVED: 3/12/94

		C Volatiles OF 2			
	RESULT	REPORTING		EXTRACTION-	QC
PARAMETER	(uq/L)	_ LIMIT_	<u>METHOD</u>	ANALYSIS DATE	<u>BATCH</u>
Benzene	ND	1.0	USEPA 601/2	02/27/04	
Bromodichloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromoform	ND	1.0	USEPA 601/2	03/17/94 03/17/94	4077074
		2.0	USEPA 001/2	03/1//94	4077074
Bromomethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Chlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
			002111 001,2	03/11/34	4077074
Dibromochloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074
				00/1//54	4077074
Chloroform	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
			,		10,,0,4
1,3-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
				, ,	
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
					-
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/17/94	4077074
-1- 4 2 DI-13					
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
Ethylbenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE	LIMITS		
Bromochloromethane					
Trifluorotoluene	110	(78 - 1			
11111010COIdelle	97	(73 - 1	.31)		

NOTE: AS RECEIVED



WHF 2891-EB

WO #: K9728105

LAB #: B4C130004-005

MATRIX: WATER

Xylenes, Total

Methyl tert-butyl ether

DATE SAMPLED:

3/10/94 DATE RECEIVED: 3/12/94

4077074

4077074

03/17/94

03/17/94

	_	GC Volatiles OF 2			 -
PARAMETER	RESULT (ug/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Methylene chloride	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Tetrachloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Toluene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Trichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
Vinyl chloride	ND	1.0	USEPA 601/2	03/17/94	4077074

1.0

1.0

USEPA 601/2

USEPA 601/2

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	110	(78 - 122)
Trifluorotoluene	97	(73 - 131)

ND

ND

NOTE: AS RECEIVED



WHF 2891-EB

WO #: K9728104

LAB #: B4C130004-005

MATRIX: WATER

DATE SAMPLED: 3/10/94

DATE RECEIVED: 3/12/94

PARAMETER	RESULT (ug/L)	REPORTING LIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Ethylene dibromide	ND	0.020	FL-HRS 601-M	03/23/94	4083038

SURROGATE RECOVERY

<u>ACCEPTABLE LIMITS</u>

Bromoform

107

(41 - 152)

NOTE: AS RECEIVED



WHF 2891-EB

WO #: K9728103

LAB #: B4C130004-005

MATRIX: WATER

DATE SAMPLED: 3/10/94
DATE RECEIVED: 3/12/94

		-			
PARAMETER	RESULT (uq/L)	REPORTING LIMIT	METHOD	EXTRACTION-	QC
			METHOD	ANALYSIS DATE	BATCH
Acenaphthene	ND	5.0	USEPA 625	03/17-03/22/94	4076050
Acenaphthylene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Anthracene	ND	5.0	USEPA 625		
		5.0	OSEFA 025	03/17-03/22/94	4076052
Benzo(a) anthracene	ND	5.0	USEPA 625	03/17-03/22/94	4076053
Benzo(b) fluoranthene	ND	5.0	USEPA 625	03/17-03/22/94	
Benzo(k) fluoranthene	ND	5.0	USEPA 625		
		3.0	USEPA 625	03/17-03/22/94	4076052
Benzo(ghi)perylene	ND	5.0	USEPA 625	03/17-03/22/94	4076050
Benzo(a) pyrene	ND	5.0	USEPA 625	03/17-03/22/94	40/6052
Chrysene	ND	5.0		03/17-03/22/94	4076052
1	112	3.0	USEPA 625	03/17-03/22/94	4076052
Dibenz(a,h)anthracene	ND	5.0	*******		
Fluoranthene	ND		USEPA 625	03/17-03/22/94	
Fluorene	-	5.0	USEPA 625	03/17-03/22/94	4076052
ridorene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
T-d(1 2 2 -3)					
Indeno(1,2,3-cd)pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
2-Methylnaphthalene	ND	5.0	USEPA 625	03/17-03/22/94	
Naphthalene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
				,,	
Phenanthrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
Pyrene	ND	5.0	USEPA 625	03/17-03/22/94	4076052
1-Methylnaphthalene	ND	5.0	USEPA 625	03/17-03/22/94	
-			0001A 025	03/11/03/22/94	40/6052

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	88	(22 - 135)
2-Fluorobiphenyl	66	(34 - 140)
Terphenyl-d14	61	(10 - 132)

NOTE: AS RECEIVED



WHF 2891-EB

WO #: K9728

LAB #: B4C130004-005

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED:

3/12/94

PARAMETER	RESULT	REPORTING	UNIT	METHOD	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons Total Recoverable	ND	1.0	mg/L	MCAWW 418.1	3/22/94	4082091

NOTE: AS RECEIVED



WHF 2891-EB

WO #: K9728

LAB #: B4C130004-005

MATRIX: WATER

DATE SAMPLED:

3/10/94

DATE RECEIVED:

3/12/94

 PARAMETER
 RESULT
 REPORTING
 PREPARATION - QC

 LIMIT
 UNIT
 METHOD
 ANALYSIS DATE BATCH

 Lead
 ND
 5.0
 ug/L
 MCAWW 239.2
 3/18-3/22/94
 4076073

NOTE: AS RECEIVED



TRIP BLANK

WO #: K9729101 LAB #: B4C130004-006

MATRIX: WATER

DATE SAMPLED: 3/11/94
DATE RECEIVED: 3/12/94

	· (GC Volatiles			
		OF 2		~	
	RESULT	REPORTING		EXTRACTION-	oc
PARAMETER	(ug/L)	LIMIT	METHOD	ANALYSIS DATE	BATCH
				-ENERGIO DATE	DAICH
Benzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromodichloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Bromoform	ND	1.0	USEPA 601/2	03/17/94	4077074
_			•	, = : , = -	1077071
Bromomethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/17/94	4077074
Chlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
- 21				•	
Dibromochloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroethane	ND	1.0	USEPA 601/2	03/17/94	4077074
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/17/94	4077074
Chloroform					
Chloromethane	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichiorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,3-Dichlorobenzene	ND				
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
Dichlorodifluoromethane	ND		USEPA 601/2	03/17/94	4077074
2 2 3 3 2 3 4 2 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	ND	1.0	USEPA 601/2	03/17/94	4077074
1,1-Dichloroethane	ND	1.0	USEPA 601/2	02/25/04	
1,2-Dichloroethane	ND	1.0	USEPA 601/2 USEPA 601/2	03/17/94	4077074
1,1-Dichloroethene	ND	1.0	USEPA 601/2 USEPA 601/2	03/17/94	4077074
		1.0	USEPA 601/2	03/17/94	4077074
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/17/94	4077074
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/17/94	4077074 4077074
			001111 001/2	03/11/34	40//0/4
cis-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/17/94	4077074
Ethylbenzene	ND	1.0	USEPA 601/2	03/17/94	4077074
				03/1//34	4077074
SURROGATE RECOVERY	<u> </u>	ACCEPTABLE	LIMITS		
					•
Bromochloromethane	114	(78 - 1	.22)		
Trifluorotoluene	99	(73 - 1	31)		

NOTE: AS RECEIVED



TRIP BLANK

WO #: K9729101

LAB #: B4C130004-006

MATRIX: WATER

DATE SAMPLED: 3/11/94

DATE RECEIVED: 3/12/94

	G	C Volatiles			
PARAMETER	RESULT (ug/L)	REPORTING LIMIT	<u>METHOD</u>	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>
Trichlorofluoromethane Methylene chloride 1,1,2,2-Tetrachloroethane	ND ND ND	1.0 1.0 1.0	USEPA 601/2 USEPA 601/2 USEPA 601/2	03/17/94 03/17/94	4077074
Tetrachloroethene Toluene 1,1,1-Trichloroethane	ND ND ND	1.0	USEPA 601/2 USEPA 601/2 USEPA 601/2 USEPA 601/2	03/17/94 03/17/94 03/17/94	4077074 4077074
1,1,2-Trichloroethane Trichloroethene Vinyl chloride	ND ND ND	1.0 1.0 1.0	USEPA 601/2 USEPA 601/2 USEPA 601/2 USEPA 601/2	03/17/94 03/17/94 03/17/94 03/17/94	4077074 4077074 4077074 4077074
Xylenes, Total Methyl tert-butyl ether	ND ND	1.0	USEPA 601/2 USEPA 601/2	03/17/94 03/17/94	4077074 4077074

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	. 114	(78 - 122)
Trifluorotoluene	99	(73 - 131)

NOTE: AS RECEIVED



TRIP BLANK

WO #: K9032101

LAB #: B4C110004-007

MATRIX: WATER

DATE SAMPLED: 3/09/94 DATE RECEIVED: 3/11/94

	GC Volatiles - 1 OF 2	·		
PARAMETER	RESULT REPORTING (ug/L) LIMIT	<u>METHOD</u>	EXTRACTION- ANALYSIS DATE	QC <u>BATCH</u>

PARAMETER	RESULT	REPORTING		EXTRACTION-	QC
INCHILL	(uq/L)	LIMIT_	<u>METHOD</u>	ANALYSIS DATE	BATCH
Benzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromodichloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromoform	ND	1.0	USEPA 601/2	03/19/94	4080110
Bromomethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Carbon tetrachloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Chlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
			00DIR 001/2	03/13/34	4080110
Dibromochloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
2-Chloroethyl vinyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110
			•	,,	1000110
Chloroform	ND	1.0	USEPA 601/2	03/19/94	4080110
Chloromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
			,	•	
1,3-Dichlorobenzene	ND	1.0	USEPÁ 601/2	03/19/94	4080110
1,4-Dichlorobenzene	ND	1.0	USEPA 601/2	03/19/94	4080110
Dichlorodifluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
			002111 001/2	03/13/34	4080110
cis-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
trans-1,2-Dichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,2-Dichloropropane	ND	1.0	USEPA 601/2	03/19/94	4080110
cis-1,3-Dichloropropene	ND	1.0		22/22/21	
trans-1,3-Dichloropropene	ND	1.0	USEPA 601/2	03/19/94	4080110
Ethylbenzene	ND		USEPA 601/2	03/19/94	4080110
Bony I Bonzone	ND	1.0	USEPA 601/2	03/19/94	4080110
SURROGATE RECOVERY	<u>\$</u>	ACCEPTABLE	LIMITS		
Bromochloromethane	92	(78 - 1	22)		
Trifluorotoluene	98	(73 - 1			
		, , , , ,	,		

NOTE: AS RECEIVED



TRIP BLANK

WO #: K9032101

LAB #: B4C110004-007

MATRIX: WATER

DATE SAMPLED: DATE RECEIVED:

3/09/94 3/11/94

3/11/3

	G	C Volatiles			
	2	OF 2			
PARAMETER	RESULT - (ug/L)	REPORTINGLIMIT	METHOD	EXTRACTION- ANALYSIS DATE	QC <u>BATC</u> H
Trichlorofluoromethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Methylene chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2,2-Tetrachloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Tetrachloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Toluene	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,1-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
1,1,2-Trichloroethane	ND	1.0	USEPA 601/2	03/19/94	4080110
Trichloroethene	ND	1.0	USEPA 601/2	03/19/94	4080110
Vinyl chloride	ND	1.0	USEPA 601/2	03/19/94	4080110
Xylenes, Total	ND	1 0		4 4	
-		1.0	USEPA 601/2	03/19/94	4080110
Methyl tert-butyl ether	ND	1.0	USEPA 601/2	03/19/94	4080110

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	92	(78 - 122)
Trifluorotoluene	98	(73 - 131)

NOTE: AS RECEIVED



QUALITY CONTROL SECTION

- Quality Control Summary
- Laboratory Blanks
- · Laboratory Control Sample
- Matrix Spike/Matrix Spike Duplicate Results
- Sample Custody Documentation



Laboratories UNALITY ASSURANCE / QUALITY CONTROL PROGRAM SUMMARY

Wadsworth/ALERT Laboratories considers continuous analytical performance evaluations to be an integral portion of the data package, and routinely includes the pertinent QA/QC data associated with various analytical result reports. Brief discussions of the various QA/QC procedures utilized to measure acceptable method and matrix performance follow.

Surrogate Spike Recovery Evaluations

Known concentrations of designated surrogate spikes, consisting of a number of similar, non-method compounds or method compound analogues, are added, as appropriate, to routine GC and GC/MS sample fractions prior to extraction and analysis. The percent recovery determinations calculated from the subsequent analysis is an indication of the overall method efficiency for the individual sample. This surrogate spike recovery data is displayed alongside acceptable analytical method performance limits at the bottom of each applicable analytical result report sheet.

Acceptable method performance for Base/Neutral Acid extractables is indicated by two (2) of three (3) surrogates for each fraction with a minimum recovery of ten (10) percent each. For Pesticides one (1) of two (2) surrogates meeting performance criteria is acceptable.

Laboratory Analytical Method Blank Evaluations

Laboratory analytical method blanks are systematically prepared and analyzed in order to continuously evaluate the system interferences and background contamination levels associated with each analytical method. These method blanks include all aspects of actual laboratory method analysis (chemical reagents, glassware, etc.), substituting laboratory reagent water or solid for actual sample. The method blank must not contain any analytes above the reported detection limit. The following common laboratory contaminants are exceptions to this rule provided they are not present at greater than five times the detection limit.

Volatiles Toluene 2-Butanone Acetone

Semi-volatiles Methylene chloride Dimethyl phthalate Diethly phthalate Di-n-butyl phthalate Butyl benzyl phthalate Bis (2-ethylhexyl) phthalate

<u>Metals</u> Calcium Magnesium Sodium

A minimum of five percent (5%) of all laboratory analyses are laboratory analytical method blanks.

Laboratory Analytical Method Check Sample Evaluations

Known concentrations of designated matrix spikes (actual analytical method compounds) are added to a laboratory reagent blank prior to extraction and analysis. Percent recovery determinations demonstrate the performance of the analytical method. Failure of a check sample to meet established laboratory recovery criteria is cause to stop the analysis until the problem is resolved.

Laboratories UALITY ASSURANCE / QUALITY CONTROL PROGRAM SUMMARY

(cont'd)

At that time all associated samples must be re-analyzed. A minimum of five percent (5%) of all laboratory analyses are laboratory analytical method check samples.

Matrix Spike (MS)/Matrix Spike Duplicate (MSD) Recovery Evaluations

Known concentrations of designated matrix spikes (actual analytical method compounds) are added to two of three separate aliquots of a sequentially predetermined sample prior to extraction and analysis. Percent recovery determinations are calculated from both of the spiked samples by comparison to the actual values generated from the unspiked sample. These percent recovery determinations indicate the accuracy of the analysis at recovering actual analytical method compounds from the matrix. Relative percent difference determinations calculated from a comparison of the MS/MSD recoveries demonstrate the precision of the analytical method. percent recovery and relative percent difference data is displayed alongside their respective acceptable analytical method performance limits in the QA/QC section of the report. The MS/MSD are considered in control when the precision is within established control limits and the associated check sample has been found to be acceptable. A minimum of ten percent (10%) of all analyses are MS/MSD quality control samples.

COMPOUND	SAMPLE CONC.	MS %REC	MSD %REC	RPD	RPD	QC LIMITS RECOVERY
4,4'-DDT Benzene	0 10	95 86	112 93	16 8	22 20	66-119 39-150
(cmpd. name)	sample result	1st%	2nd%	Rel.%		cep. method

Analytical Result Qualifiers

The following qualifiers, as defined below, may be appended to analytical results in order to allow proper interpretation of the results presented:

- J indicates an estimated concentration (typically used when a dilution, matrix interference or instrumental limitation prevents accurate quantitation of a particular analyte).
- B indicates the presence of a particular analyte in the laboratory blank analyzed concurrently with the samples. Results must be interpreted accordingly.
- DIL indicates that because of matrix interferences and/or high analyte concentrations, it was necessary to dilute the sample to a point where the surrogate or spike concentrations fell below a quantifiable amount and could not be reported.



LAB #: B4C180000-074

	GC	Volatiles		
PARAMETER	RESULT (ug/L)	REPORTINGLIMIT	PREPARATION - ANALYSIS DATE	QC <u>B</u> ATCH
Benzene	ND			
Bromodichloromethane	ND	1.0	3/17/94	4077074
Bromoform	ND	1.0	3/17/94	4077074
	ND	1.0	3/17/94	4077074
Bromomethane	ND	1.0	3/17/94	4077074
Carbon tetrachloride	ND	1.0	3/17/94	
Chlorobenzene	ND	1.0	3/17/94	4077074 4077074
			3/11/24	40//0/4
Dibromochloromethane	ND	1.0	3/17/94	4077074
Chloroethane	ND	1.0	3/17/94	4077074
2-Chloroethyl vinyl ether	ND	1.0	3/17/94	4077074
			-,,	10,,0,4
Chloroform	ND	1.0	3/17/94	4077074
Chloromethane	ND	1.0	3/17/94	4077074
1,2-Dichlorobenzene	ND	1.0	3/17/94	4077074
a a pieta.				
1,3-Dichlorobenzene	ND	1.0	3/17/94	4077074
1,4-Dichlorobenzene	ND	1.0	3/17/94	4077074
Dichlorodifluoromethane	ND	1.0	3/17/94	4077074
1,1-Dichloroethane				
1,2-Dichloroethane	ND	1.0	3/17/94	4077074
1,1-Dichloroethene	ND	1.0	3/17/94	4077074
i, i-bichioroethene	ND	1.0	3/17/94	4077074
cis-1,2-Dichloroethene	ND		- 11-	
trans-1,2-Dichloroethene	ND	1.0	3/17/94	4077074
1,2-Dichloropropane	ND	1.0	3/17/94	4077074
-,- zromzoropropane	ND	1.0	3/17/94	4077074
cis-1,3-Dichloropropene	ND	1.0	2/27/04	
trans-1,3-Dichloropropene	ND	1.0	3/17/94 3/17/94	4077074
Ethylbenzene	ND	1.0		4077074
-	***	1.0	3/17/94	4077074
Trichlorofluoromethane	ND	1.0	3/17/94	4077074
SURROGATE RECOVERY	<u> ક</u>	ACCEPTABLE LIMITS	J/ 11/ J4	40//0/4
Bromochloromethane	100	(78 - 122)		
Trifluorotoluene	97	(73 - 131)		
		,,		

NOTE:

ND (NONE DETECTED)



LAB #: B4C180000-074

PARAMETER	RESULT (ug/L)	REPORTING LIMIT	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Methylene chloride	ND	1.0	3/17/94	4077074
1,1,2,2-Tetrachloroethane	ND	1.0	3/17/94	4077074
Tetrachloroethene	ND	1.0	3/17/94	4077074
Toluene	ND	1.0	3/17/94	4077074
1,1,1-Trichloroethane	ND	1.0	3/17/94	4077074
1,1,2-Trichloroethane	ND	1.0	3/17/94	4077074
Trichloroethene	ND	1.0	3/17/94	4077074
Vinyl chloride	ND	1.0	3/17/94	4077074 4077074
Xylenes, Total	ND	1.0	3/17/94	4077074
Methyl tert-butyl ether	ND	1.0	3/17/94	4077074

SURROGATE RECOVERY	<u>*</u>	ACCEPTABLE LIMITS
Bromochloromethane	100	(78 - 122)
Trifluorotoluene	97	(73 - 131)

NOTE:



LAB #: B4C240000-038

		atiles		
<u>PARAMETER</u>	RESULT (ug/L)	REPORTING LIMIT	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Ethylene dibromide	ND	0.020	3/23/94	4083038

SURROGATE RECOVERY Bromoform

<u>*</u> 83 ACCEPTABLE LIMITS
(41 - 152)

NOTE:

LAB #: B4C170000-052

- GC/MS Semi-Volatil	l e e	
----------------------	-------	--

		-		
	RESULT	REPORTING	PREPARATION -	QC
PARAMETER	(uq/L)	LIMIT	ANALYSIS DATE	BATCH
3hab				
Acenaphthene	ND	5.0	3/17- 3/22/94	4076052
Acenaphthylene	ND	5.0	3/17- 3/22/94	4076052
Anthracene	ND	5.0	3/17- 3/22/94	4076052
Benzo(a)anthracene	ND	5.0	2/27 2/22/24	
Benzo (b) fluoranthene	ND		3/17- 3/22/94	4076052
Benzo(k) fluoranthene		5.0	3/17- 3/22/94	4076052
Benzo (k) IIuoranthene	ND	5.0	3/17- 3/22/94	4076052
Benzo(ghi)perylene	ND	F 0	2/22 2/22/2	
Benzo(a) pyrene		5.0	3/17- 3/22/94	4076052
Chrysene	ND	5.0	3/17- 3/22/94	4076052
chrysene	ND	5.0	3/17- 3/22/94	4076052
Dibenz(a,h)anthracene	ND	5.0	3/17- 3/22/94	4076052
Fluoranthene	ND	5.0	3/17- 3/22/94	
Fluorene	ND	5.0		4076052
	ND	5.0	3/17- 3/22/94	4076052
Indeno(1,2,3-cd)pyrene	ND	5.0	3/17- 3/22/94	4076052
2-Methylnaphthalene	ND	5.0	3/17- 3/22/94	4076052
Naphthalene	ND	5.0	The state of the s	
•	112	3.0	3/17- 3/22/94	4076052
Phenanthrene	ND	5.0	3/17- 3/22/94	4076052
Pyrene	ND	5.0	3/17- 3/22/94	4076052
1-Methylnaphthalene	ND	5.0	3/17- 3/22/94	4076052
			, = -, ==, -,	-0.0002

SURROGATE RECOVERY	<u>ક</u>	ACCEPTABLE LIMITS
Nitrobenzene-d5	80	(22 - 135)
2-Fluorobiphenyl	63	(34 - 140)
Terphenyl-d14	55	(10 - 132)

NOTE:



LAB #: B4C130004

		METALS			
PARAMETER	RESULT	REPORTING LIMIT	UNIT	METHOD	PREPARATION - ANALYSIS DATE
Lead	ND	BATCH:4076 5.0	073 ug/L	MCAWW 239.2	3/18- 3/21/94

NOTE:



LAB #: B4C230000-091

	INORGAN	IC ANALYTICA	L REPORT		
PARAMETER	RESULT	REPORTING LIMIT	UNIT	PREPARATION - ANALYSIS DATE	QC <u>BATCH</u>
Petroleum Hydrocarbons	ND	1.0	mg/L	3/22/94	4082091

NOTE:



QC BATCH: 4077074 LAB #: B4C180000-074 C

PREPARATION DATE: 3/17/94

DATE ANALYZED: 3/17/94

COMPOUND	SPIKE PERCENT RECOVERY	Q/C LIMITS
Dichlorodifluoromethane	88	(58-156)
Chloromethane	110	(61-129)
Vinyl chloride	123	(65-146)
Bromomethane	128	(44-153)
Chloroethane	116	(64-163)
Trichlorofluoromethane	88	(69-129)
1,1-Dichloroethene	93	(61-144)
Methylene chloride	101	(82-122)
trans-1,2-Dichloroethene	101	(73-139)
1,1-Dichloroethane	100	(64-124)
cis-1,2-Dichloroethene	103	(65-113)
Chloroform	114	(65-138)
1,1,1-Trichloroethane	110	(81-125)
Carbon tetrachloride	113	(80-134)
1,2-Dichloroethane	110	(76-119)
Trichloroethene	99	(75-123)
1,2-Dichloropropane	111	(80-131)
Bromodichloromethane	102	(61-133)
2-Chloroethyl vinyl ether	0	(24-158)
cis-1,3-Dichloropropene	96	(66-117)
trans-1,3-Dichloropropene	104	(83-146)
1,1,2-Trichloroethane	102	(81-133)
Tetrachloroethene	112	(71-137)
Dibromochloromethane	95	(87-130)
Chlorobenzene	101	(58-133)
Bromoform	82	(58-138)
1,1,2,2-Tetrachloroethane	95	(70-126)
1,3-Dichlorobenzene	92	(81-115)
1,4-Dichlorobenzene	92	(84-115)
1,2-Dichlorobenzene	101	(85-119)



QC BATCH: 4077074

LAB #: B4C180000-074 C

PREPARATION DATE: 3/17/94

DATE ANALYZED: 3/17/94

COMPOUND	SPIKE PERCENT RECOVERY	Q/C LIMITS
Methyl tert-butyl ether	100	(70-133)
Benzene	109	(80-123)
Toluene	109	(80-119)
Chlorobenzene	90	(58-133)
Ethylbenzene	108	(89-120)
Xylenes, Total	101	(61-142)
1,3-Dichlorobenzene	85	(81-115)
1,4-Dichlorobenzene	78	(84-115)
1,2-Dichlorobenzene	72	(85-119)



QC BATCH: 4083038 LAB #: B4C240000-038 C

PREPARATION DATE: 3/23/94

DATE ANALYZED: 3/23/94

SPIKE

PERCENT RECOVERY

Q/C LIMITS

Ethylene dibromide

COMPOUND

97

(62-129)



QC BATCH: 4076052 LAB #: B4C170000-052 C

PREPARATION DATE: 3/17/94

DATE ANALYZED: 3/22/94

•	SPIKE	
	PERCENT	Q/C
COMPOUND	RECOVERY	LIMITS
•		
Phenol	0	(17-105)
Bis (2-chloroethyl) ether	0	(28-121)
2-Chlorophenol	0	(22-106)
1,3-Dichlorobenzene	0	(33-114)
1,4-Dichlorobenzene	0	(20-116)
Benzyl alcohol	0	(22-122)
1,2-Dichlorobenzene	0	(34-110)
2-Methylphenol	0	(37-88)
Bis(2-chloroisopropyl)ether	0	(10-146)
4-Methylphenol	0	(31-98)
N-Nitrosodi-n-propylamine	0	(16-147)
Hexachloroethane	0	(35-105)
Nitrobenzene	0	(27-127)
Isophorone	0	(13-134)
2-Nitrophenol	0	(19-113)
2,4-Dimethylphenol	0	(14-98)
Benzoic acid	0	(20-144)
Bis(2-chloroethoxy)methane	0	(35-115)
2,4-Dichlorophenol	0	(17-113)
1,2,4-Trichlorobenzene	0	(21-117)
Naphthalene	72	(22-151)
4-Chloroaniline	0	(14-181)
Hexachlorobutadiene	0	(43-101)
4-Chloro-3-methylphenol	0	(13-114)
1-Methylnaphthalene	71	(33-120)
2-Methylnaphthalene	70	(39-113)
Hexachlorocyclopentadiene	0	(10-110)
2,4,6-Trichlorophenol	0	(30-108)
2,4,5-Trichlorophenol	0	(36-90)
2-Chloronaphthalene	0	(38-106)
2-Nitroaniline	0	(22-108)
Dimethyl phthalate	0	(10-110)
Acenaphthylene	69	(17-145)
2,6-Dinitrotoluene	0	(24-128)
3-Nitroaniline	0	(26-99)
Acenaphthene	67	(30-150)
**	~ ,	(30-130)



QC BATCH: 4076052 LAB #: B4C170000-052 C

PREPARATION DATE: 3/17/94

DATE ANALYZED: 3/22/94

	SPIKE	
	PERCENT	Q/C
COMPOUND	RECOVERY	LIMITS
2,4-Dinitrophenol	0	(10-92)
4-Nitrophenol	0	(10-150)
Dibenzofuran	0	(34-104)
2,4-Dinitrotoluene	0	(33-113)
Diethyl phthalate	0	(10-110)
4-Chlorophenyl phenyl ether	0	(10-180)
Fluorene	66	(24-117)
4-Nitroaniline	0	(12-141)
4,6-Dinitro-	0	(10-142)
2-methylphenol		(10 112)
N-Nitrosodiphenylamine	0	(37-134)
4-Bromophenyl phenyl ether	0	(18-144)
Hexachlorobenzene	0	(10-180)
Pentachlorophenol	0	(10-121)
Phenanthrene	64	(26-126)
Anthracene	63	(20-117)
Di-n-butyl phthalate	0	(31-111)
Fluoranthene	62	(29-118)
Pyrene	58	(34-125)
Butyl benzyl phthalate	0	(25-121)
3,3'-Dichlorobenzidine	0	(10-146)
Benzo (a) anthracene	64	(31-115)
Chrysene	61	(18-140)
Bis(2-ethylhexyl)phthalate	0	(27-128)
Di-n-octyl phthalate	0	(17-160)
Benzo(b)fluoranthene	61	(12-119)
Benzo(k) fluoranthene	63	(23-134)
Benzo(a)pyrene	57	(40-115)
Indeno(1,2,3-cd)pyrene	65	(22-95)
Dibenzo(a,h)anthracene	54	(10-93)
Benzo(ghi)perylene	54	(10-103)
		(======)



LAB #: B4C130004

	•		
	METALS		
	SPIKE		
	PERCENT	Q/C	PREPARATION -
COMPOUND	RECOVERY	LIMITS	ANALYSIS DATE
	BATCH: 4076073		
Lead	108	(70-126)	2/10 2/21/04



LAB #: B4C130004

INORGANIC	ANALYTICAL	REPORT
THOMOSTIT	MANTITUAL	REPURI

COMPOUND	SPIKE PERCENT RECOVERY	<u>LIMITS</u>	PREPARATION - ANALYSIS DATE	Q/C BATCH
Petroleum Hydrocarbons Total Recoverable	96	(69-125)	3/22/94	4082091

ENSECO-WADSWORTH/ALERT LABORATORIES SAMPLE SHIPPER EVALUATION AND RECEIPT FORM

Cl	ient: ABB-ES Project Name/Number: NAS Whitne
Sa	mples Received By: Co SECO Date Received: 3-12-94
Sar	mple Evaluation Form By: SEO LAB No: 84030003
Typ	pe of shipping container samples received in? WAL Cooler
	Client Cooler WAL Shipper Box Other
Any	"NO" responses or discrepancies should be explained in comments section.
	YES NO
1.	Were custody seals on shipping container(s) intact?
2.	Were custody papers properly included with samples?
3.	Were custody papers properly filled out (ink, signed, match labels)?
4.	Did all bottles arrive in good condition (unbroken)?
5.	Were all bottle labels complete (Sample No., date, signed, analysis preservatives)?
6.	Were correct bottles used for the tests indicated?
7.	Were proper sample preservation techniques indicated?
8.	Were samples received within adequate holding time?
9.	Were all VOA bottles checked for the presence of air bubbles? . (If air bubbles were found indicate in comment section)
10.	Were samples in direct contact with wet ice?
11.	Were samples accepted into the laboratory?
	Cooler # Temp °C Cooler # Temp °C
	Cooler # Temp °C Cooler # Temp °C
Comme	only one of two molers was received with seals

ENSECO-WADSWORTH/ALERT LABORATORIES SAMPLE SHIPPER EVALUATION AND RECEIPT FORM

Client: ABB Project Name/Number: Whiting 7	· ule
Samples Received By: (Signature) Date Received: 311191	
Sample Evaluation Form By: LAB No:	
Type of shipping container samples received in? WAL Cooler	
Client Cooler WAL Shipper Box Other	
Any "NO" responses or discrepancies should be explained in comments section.	
YES	NO
1. Were custody seals on shipping container(s) intact?	
2. Were custody papers properly included with samples?	
3. Were custody papers properly filled out (ink, signed, match labels)?	<u></u>
4. Did all bottles arrive in good condition (unbroken)?	
5. Were all bottle labels complete (Sample No., date, signed, analysis preservatives)?	
6. Were correct bottles used for the tests indicated? $oxedsymbol{igwedge}$	
7. Were proper sample preservation techniques indicated?	
8. Were samples received within adequate holding time?	
Were all VOA bottles checked for the presence of air bubbles? . \times (If air bubbles were found indicate in comment section)	
10. Were samples in direct contact with wet ice?	
II. Were samples accepted into the laboratory?	
Cooler # Temp °C Cooler # Temp °C	
Cooler # Temp °C Cooler # Temp °C	
Comments:	
	

WADSWORTH/ALERT LABORATORIES Sampling, testing, mobile labs

e Pkwy.

5910 Breckenridge Pkwy. Suite H Tampa, FL 33610

Chain of Custody Record

(813) 621-0784 Fax (813) 623-6021

Record	<u>/_</u>	of .	
# 200	2		

ABE-ES			Project N	lame / L	ocation I, NASU	. D								_		Р	arame	ter			
	r(s) UNO	١,				18-42	Of CON	1 /	601/bc/	\ \&\	23.2	138	/ /ss/	/ /	/ /	/ /				_	
Item #	Date	Time	MA	TRIX	Samp	le Location	TAINE	15 / 5	PAT PAT	METAL	TRPL 239									Remarks	
1	3-8-94		11	120	WHF-14	67-13R	8	2		. 1	1	2									
-2	3.8.94			T	WH= 146				+-	 	+	-	+-								
3	38-94				WHF-3874-5			Z	. 2	-1	1	Z									
4	3-9-94				WHF-2894-Z) 3	? 2	1	١	3									
5	3-9-94				WHF-2894-3			3	7 2	- 1	ı	3									
6	3.9.94			1	WHF-2894-DUP			> 3	1 2	ı	1	3									
7	3-9-94				ms	1				1							FR	im 2894	- Z		
8	3-9-94				insD	1				1								m 2894			
9					TRIPBIANK			3													
10			Ì.,		,								T^-								
11				$\sqrt{}$											T						
		,		•		Total Containe	rs 51		Number of Coolers in Shipment Z										Bailers	~/A	
Repor	t To: PAME LA	a J.	1.	16N	ER.	Transfer Number N	Item lumber(s)		Relinquished By / Company Accepted By / Compan									By / Company	Date	Time	
	onal Commer		. 1		5	1	1-9	1,	久	16	/ /	-/	I AZZ	D-4	5 5		FE		-EX	3.9-4.1	17:00
517	INDARĪ) / UN	())[1][C.C. Up	עכ.	2			/		<i></i>					i	A 1	,()	-EX normally	10194	1
w//	602 :	TRPA	4 10	WH.	ravid	3													J		
,	W/ HCL.					4													Ç-64		
LEAD preserved of HNO3 5					5																
•	V					6	•														

WADSWORTH/ALERT LABORATORIES Sampling, testing, mobile labs

Chain of Custody Record

5910 Breckenridge Pkwy. Suite H (813) 621-0784 Tampa, FL 33610 Fax (813) 623-6021

Record	٠ŧ	/
Hecord	 Oī	

2239

Client:	Ac 5			Parameter																		
Sample	Art S		N/ 11	Project #:			No. Of	\Box		\int	1	7							-		·····	
	['LI!	. The	A. W. MIK	75/	4=		CON- TAINERS	/	\int	$\sqrt{}$										Ь	emarks	
Item #	Date	Time	MATRIX	Samp	le Location	:	IAINENS	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	PAH	METALS	JAPH.	EDB,	/ ,							П	emarks	
1	7 : 4			11.5	110 JUL 1B				سَيّ	/	t	1										
2	10 9			1111 -				د: العبد	2	1	1	3										
3	. 1: H	,) w F _ 3	Ju F 28 /4 /			Ž	2.	/	1	ت						<u> </u>			·	
4	C 0 21				· · · · · · · · · · · · · · · · · · ·			3.7	-	1	1	ŢŜ					<u>.</u>					
5	1 1 H	1 2 5			79-1D		<u> </u>	,5	2	1	1						ļ	ļ				
6	<i>f</i>			7.32	OLANK	-		3										ļ				.
		i 				-									<u> </u>		-	ļ				
8															ļ. 							
9			<u> </u>									-						<u> </u>				
10			 			-		ļ	• •									ļ			<u>. </u>	
			V		Tot	21	ئىلۇس							_		<u> </u>		L		_		1
					Conta		53	5	3	1	Num	ber	of C	Cool	ers i	n Sl	nipn	ent			Bailers	
Repor		, .	A NE	Λ	Transfer Number		em ber(s)											epted	By / Compa	Date	Time	
Additio	onal Comme		$i \sim i$	У	1) ·	Til	1	111	1	β_r	Y	13		,	1	7 /	1,7		1.171	/*
			,	,	2	/-	-6		····					(0	5-70	SÉCU	3/12/94	1145
	TKIN	+ \$ t	Comments	(4) (1	3												_	<u> </u>			,	
		<u>ت</u>		· /	4			_														
•	ff/M	٠	$f \in \mathcal{F}(M_{\mathbb{R}^n})$	45	5																	
		<u> </u>		n i s " i s e i	6								. <u>-</u>									
4 OF	5		- Ja 2	/		С	riginal .	Acco	mpa	nies	Sh	ipme	ent									•

WADSWORTH/ALERT LABORATORIES Sampling, testing, mobile labs

Chain of Custody Record

5910 Breckenridge Pkwy. Suite H (813) 621-0784 Tampa, FL 33610 Fax (813) 623-6021

Record	of	
# 2242		

																									**
Client	R-ES		Project Name / I	gootion	1.1.	.11											Р	arame	ter						
Sample	r(s)			Project #:	ming in		No. Of	/	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	/	~/	_/.			/	' 	/ /	' /		** 4					
<u>J. UI</u>	10, P.	LACNO	ur	7518	hiting Fie		CON- TAINERS		3/	V/	18/3) (c								n.		l		
Item #	Date	Time	MATRIX		ple Location		IAINERS	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	PAH- 60//602	WETAL O	THOH!	FDB.									He	emarl	KS		•
1	3-9-94	17.45	14,0	27 WIF-	2794-4		8	2	2	T	1	Z						601	401-	HC	_ 4/	8.1	FIKL	239.	2->H/D
2																									
3									<u> </u>																
4			<u> </u>					ļ								_	<u>_</u>								
_5			-		 			-	ļ								ļ								
6								ļ	ļ		_						-						-		<u>.</u>
7																									-17
8							 	-	-								ļ				-				<u> </u>
9			ļ				ļ										<u> </u>								*
10				_												-									<u> </u>
11					Tot	al										L	<u> </u>		_	~	-				
			 		Conta		8	.			Nun	nber	of C	Coole	ers i	n Sl	hipm	ent	L	<u>ک</u>		E	Bailers	1/	4
Repor		-LA 1-	M GNET	R	Transfer Number	1	tem nber(s)	F	, Relinq	quish	ed B	By / C	omp	any			Acc	epted	By / Co	ompany	,		Date	Т	ime
Addition	onal Comme	ents:	IN GNET		1	/	1	1	2	. //	1	<	TAK	3/3	?	P	-6	0	-F	\times		2-	4-94	18:	20
	7	IME			2					<u>/</u>		> /					'n (;·(<i>₩</i> ×	10	\mathcal{L}_{i_1}	4,	4-94 1194	10	^ y
					3																J				
					4																				
					5																				
1 , 0;				_	6																				